

TECHNO MODULE LIGHT

MODULAR ELSTEEL ENCLOSURES




This lightweight version of Techno Module covers all requirements up to 1000A.

With less material but maintaining the same strength and quality, the end-user gets an extremely versatile product which can be easily modified and expanded, during and after installation.

Distribution boxes can be either fully welded Box (as shown here), or a modular construction; Techno Module Light (opposite).

Either way the same inserts will fit, making it effortless to mix and match exactly according to your project.

That's the beauty of modular!




You're holding a top of the line quality product in your hands. Made with love and excellence! I hope you will enjoy assembling and using Elsteel products as much as I enjoy manufacturing it for you.



Fang Logstrup
Managing Director

Distribution boards are a fast product; they must be easy to assemble, fast to wire and preferably delivered yesterday!
We have designed Techno Module Light to be easy to assemble and prepared for "fast wiring"!
As much as possible is factory assembled while still allowing you the freedom to build any size panel you need.



Floor standing or wall mounting is available - along with many more features, that reduce assembly time considerably.



Included for 800 and above



× 4 Nos.

PLINTH FRAME LIGHT ■

SOKKEL LIGHT ■

TYPE	DESCRIPTION	PANEL SIZE (W×D)	WEIGHT (kg)	ORDER No. RAL 9005 SMF.
PFL 4.2	PLINTH FRAME LIGHT	400 X 200	3.40	17994
PFL 6.2	PLINTH FRAME LIGHT	600 X 200	6.00	18000
PFL 8.2	PLINTH FRAME LIGHT	800 X 200	9.20	18002
PFL 10.2	PLINTH FRAME LIGHT	1000 X 200	10.70	18004
PFL 12.2	PLINTH FRAME LIGHT	1200 X 200	12.50	18006
PFL 14.2	PLINTH FRAME LIGHT	1400 X 200	13.70	18008
PFL 16.2	PLINTH FRAME LIGHT	1600 X 200	15.30	18010
PFL 4.3	PLINTH FRAME LIGHT	400 X 300	3.49	17996
PFL 6.3	PLINTH FRAME LIGHT	600 X 300	6.80	18014
PFL 8.3	PLINTH FRAME LIGHT	800 X 300	10.11	18016
PFL 10.3	PLINTH FRAME LIGHT	1000 X 300	11.63	18018
PFL 12.3	PLINTH FRAME LIGHT	1200 X 300	13.40	18020
PFL 14.3	PLINTH FRAME LIGHT	1400 X 300	14.65	18022
PFL 16.3	PLINTH FRAME LIGHT	1600 X 300	16.16	18024




Included for 800 and above




PLINTH FRAME LIGHT ■
WITH CORNER ASSEMBLY

SOKKEL LIGHT MED ■
HJØRNER OG SKINNER

TYPE	DESCRIPTION	PANEL SIZE (W×D)	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
PFLC 4.2	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	400 X 200	3.87	64894
PFLC 6.2	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	600 X 200	7.20	64904
PFLC 8.2	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	800 X 200	10.53	64924
PFLC 10.2	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1000 X 200	12.30	64944
PFLC 12.2	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1200 X 200	14.36	64964
PFLC 14.2	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1400 X 200	15.83	64854
PFLC 16.2	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1600 X 200	17.69	64874
PFLC 4.3	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	400 X 300	4.67	64984
PFLC 6.3	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	600 X 300	8.13	64914
PFLC 8.3	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	800 X 300	11.57	64934
PFLC 10.3	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1000 X 300	13.36	64954
PFLC 12.3	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1200 X 300	15.40	64974
PFLC 14.3	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1400 X 300	16.91	64864
PFLC 16.3	PLINTH FRAME LIGHT WITH CORNER ASSEMBLY	1600 X 300	18.69	64884







GLANDS ■
(FOR PLINTH FRAME LIGHT)

FLANGER ■
(TIL SOKKEL LIGHT)

TYPE	DESCRIPTION	SIZE (W×D)	WEIGHT (kg)	ORDER No.
SGPFL 2	STEEL GLAND PLATE	200×100	0.19	18760
PGPFL 2	PC GLAND PLATE	200×100	0.03	18762
SGPFL 3	STEEL GLAND PLATE	300×100	0.28	18765
PGPFL 3	PC GLAND PLATE	300×100	0.04	18767






PLINTH CORNERS ■

SOKKEL HJØRNER ■


TYPE	DESCRIPTION	CORNER SIZE	WEIGHT (kg)	ORDER NO. RAL 9005 SMF.
BFC	PLINTH CORNERS	100X100	4.50	10000



PLINTH PROFILES ■

SOKKEL PROFIL ■


TYPE	DESCRIPTION	PROFILE LENGTH	PANEL SIZE	WEIGHT (kg)	ORDER NO. RAL 9005 SMF.
BPP 3	PLINTH PROFILES	100	300	0.63	10030
BPP 4	PLINTH PROFILES	200	400	1.31	10040
BPP 6	PLINTH PROFILES	400	600	2.56	10050
BPP 8	PLINTH PROFILES	600	800	3.83	10060
BPP 10	PLINTH PROFILES	800	1000	5.26	10070
BPP 12	PLINTH PROFILES	1000	1200	6.54	10080
BPP 14	PLINTH PROFILES	1200	1400	7.83	10090
BPP 16	PLINTH PROFILES	1400	1600	9.39	10100
BPP 18	PLINTH PROFILES	1600	1800	10.46	10110
BPP 20	PLINTH PROFILES	1800	2000	11.74	10120
BPP 22	PLINTH PROFILES	2000	2200	13.39	10121
BPP 24	PLINTH PROFILES	2200	2400	14.19	10122



CLAMPING BRACKETS (INTERNAL FIXING) ■

GULV BESLAG (UDVENDIG) ■




TYPE	DESCRIPTION	WEIGHT (kg)	ORDER NO. RAL 9005 SMF.
BCB	CLAMPING BRACKETS	0.46	10150





CLAMPING ANGLES (EXTERNAL FIXING) ■

GULV BESLAG (VINKEL) ■

TYPE	DESCRIPTION	WEIGHT (kg)	ORDER NO. RAL 9005 SMF.
PCA	CLAMPING ANGLES	1.35	10153




Clamping Bracket (Internal fixing)





Clamping Angle (External fixing)






* The floor or the base must be levelled horizontally with the maximum deviation of ± 1 mm per 1 meter, but no more than ± 3 mm for the length of Panel.


 CORNERS LIGHT HJØRNE LIGHT 			
TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
CRL	CORNERS LIGHT	0.41	18134





TYPE	DESCRIPTION	PANEL SIZE	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
CBL 2	CORNER BARS LIGHT	200	0.66	18154
CBL 3	CORNER BARS LIGHT	300	0.91	18164
CBL 4	CORNER BARS LIGHT	400	1.42	18174
CBL 6	CORNER BARS LIGHT	600	1.68	18184
CBL 8	CORNER BARS LIGHT	800	2.22	18194
CBL 10	CORNER BARS LIGHT	1000	2.71	18204
CBL 12	CORNER BARS LIGHT	1200	3.21	18214
CBL 14	CORNER BARS LIGHT	1400	3.75	18224
CBL 16	CORNER BARS LIGHT	1600	4.23	18234
CBL 18	CORNER BARS LIGHT	1800	4.77	18244
CBL 20	CORNER BARS LIGHT	2000	5.21	18254






CROSS BAR LIGHT ■

SPROSSE LIGHT ■

TYPE	DESCRIPTION	PANEL SIZE	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
CBSL 2	CROSS BAR LIGHT	200	0.16	18284
CBSL 3	CROSS BAR LIGHT	300	0.24	18394
CBSL 4	CROSS BAR LIGHT	400	0.37	18294
CBSL 5	CROSS BAR LIGHT	500	0.45	18274
CBSL 6	CROSS BAR LIGHT	600	0.58	18304
CBSL 8	CROSS BAR LIGHT	800	0.79	18314
CBSL 10	CROSS BAR LIGHT	1000	1.00	18324
CBSL 12	CROSS BAR LIGHT	1200	1.22	18334
CBSL 14	CROSS BAR LIGHT	1400	1.43	18344
CBSL 16	CROSS BAR LIGHT	1600	1.64	18354
CBSL 18	CROSS BAR LIGHT	1800	1.85	18364
CBSL 20	CROSS BAR LIGHT	2000	2.06	18374





CROSS BAR MOUNTING RAILS ■

SPROSSE MONTAGE BESLAG ■


 x8 Nos.

TYPE	DESCRIPTION	PANEL SIZE	WEIGHT (kg)	ORDER No.
CBMR 2	CROSS BAR MOUNTING RAILS	200	0.46	80440
CBMR 3	CROSS BAR MOUNTING RAILS	300	0.70	80442

Remove collar for internal cross bars only




8 Nm torque must be applied to all accessories mounted on the panel structure



Tip!

Crossbar mounting rails should be used when internal parts need to be installed in this location. They also provide additional stability to the panel frame.






INSTANT PLATE LIGHT ■

INSTANT PLADE LIGHT ■


TYPE	DESCRIPTION	PANEL SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
INTL 2.2	INSTANT PLATE LIGHT	200 × 200	0.47	80454
INTL 2.4	INSTANT PLATE LIGHT	200 × 400	0.99	80464
INTL 2.6	INSTANT PLATE LIGHT	200 × 600	1.50	80474
INTL 2.8	INSTANT PLATE LIGHT	200 × 800	2.01	80484
INTL 2.10	INSTANT PLATE LIGHT	200 × 1000	2.53	80494
INTL 2.12	INSTANT PLATE LIGHT	200 × 1200	3.04	80504
INTL 2.14	INSTANT PLATE LIGHT	200 × 1400	3.55	80514
INTL 2.16	INSTANT PLATE LIGHT	200 × 1600	4.07	80524
INTL 2.18	INSTANT PLATE LIGHT	200 × 1800	4.58	80534
INTL 2.20	INSTANT PLATE LIGHT	200 × 2000	5.09	80544
INTL 3.2	INSTANT PLATE LIGHT	300 × 200	0.63	80574
INTL 3.4	INSTANT PLATE LIGHT	300 × 400	1.31	80584
INTL 3.6	INSTANT PLATE LIGHT	300 × 600	1.99	80594
INTL 3.8	INSTANT PLATE LIGHT	300 × 800	2.68	80604
INTL 3.10	INSTANT PLATE LIGHT	300 × 1000	3.36	80614
INTL 3.12	INSTANT PLATE LIGHT	300 × 1200	4.05	80624
INTL 3.14	INSTANT PLATE LIGHT	300 × 1400	4.73	80634
INTL 3.16	INSTANT PLATE LIGHT	300 × 1600	5.41	80644
INTL 3.18	INSTANT PLATE LIGHT	300 × 1800	6.09	80654
INTL 3.20	INSTANT PLATE LIGHT	300 × 2000	6.77	80664



CORNER ASSEMBLY KIT LIGHT ■

HJØRNE SÆT ■

TYPE	DESCRIPTION	PANEL SIZE	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
CAKL 2	CORNER ASSEMBLY KIT LIGHT	200	2.0	80804
CAKL 3	CORNER ASSEMBLY KIT LIGHT	300	3.0	80814






WALL MOUNTING BRACKETS ■ (FOR INSTANT PANEL)


VÆG BESLAG ■ (TIL INSTANT PLADE)

TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
INWB	WALL MOUNTING BRACKETS	0.30	80400


Installation dimensions



Wall Mounting




Floorstanding




INSTANT PLATE LIGHT WITH GLAND ■

INSTANT PLADE LIGHT MED FLANGER ■

TYPE	DESCRIPTION	SIZE (W×D)	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
INLG 6.2	INSTANT PLATE LIGHT WITH GLAND	600 x 200	1.52	80834
INLG 8.2	INSTANT PLATE LIGHT WITH GLAND	800 x 200	2.10	80844
INLG 10.2	INSTANT PLATE LIGHT WITH GLAND	1000 x 200	2.60	80854
INLG 12.2	INSTANT PLATE LIGHT WITH GLAND	1200 x 200	3.50	80864
INLG 14.2	INSTANT PLATE LIGHT WITH GLAND	1400 x 200	3.65	80874
INLG 16.2	INSTANT PLATE LIGHT WITH GLAND	1600 x 200	4.10	80884
INLG 6.3	INSTANT PLATE LIGHT WITH GLAND	600 x 300	2.00	80894
INLG 8.3	INSTANT PLATE LIGHT WITH GLAND	800 x 300	2.70	80904
INLG 10.3	INSTANT PLATE LIGHT WITH GLAND	1000 x 300	3.40	80914
INLG 12.3	INSTANT PLATE LIGHT WITH GLAND	1200 x 300	4.06	80924
INLG 14.3	INSTANT PLATE LIGHT WITH GLAND	1400 x 300	4.80	80934
INLG 16.3	INSTANT PLATE LIGHT WITH GLAND	1600 x 300	5.50	80944






INSTANT PLATE LIGHT ■ WITH GLAND HOLES

INSTANT PLATE LIGHT ■ MED FLANGE HULLER

FL 21 Glands

TYPE	DESCRIPTION	SIZE (W×D)	NO.OF GLANDS	WEIGHT (kg)	ORDER No. RAL 7035 SMF.
INLGD 4.2-1	INS. PLATE LIGHT WITH GLAND HOLES	400 X 200	1	1.02	65044
INLGD 6.2-1	INS. PLATE LIGHT WITH GLAND HOLES	600 X 200	2	1.52	65054
INLGD 8.2-1	INS. PLATE LIGHT WITH GLAND HOLES	800 X 200	3	2.10	65064
INLGD 10.2-1	INS. PLATE LIGHT WITH GLAND HOLES	1000 X 200	4	2.60	65074
INLGD 12.2-1	INS. PLATE LIGHT WITH GLAND HOLES	1200 X 200	5	3.50	65084
INLGD 14.2-1	INS. PLATE LIGHT WITH GLAND HOLES	1400 X 200	5	3.65	65094
INLGD 16.2-1	INS. PLATE LIGHT WITH GLAND HOLES	1600 X 200	6	4.10	65104
INLGD 4.3-1	INS. PLATE LIGHT WITH GLAND HOLES	400 X 300	2	1.34	65114
INLGD 6.3-1	INS. PLATE LIGHT WITH GLAND HOLES	600 X 300	4	2.00	65124
INLGD 8.3-1	INS. PLATE LIGHT WITH GLAND HOLES	800 X 300	6	2.70	65134
INLGD 10.3-1	INS. PLATE LIGHT WITH GLAND HOLES	1000 X 300	8	3.40	65144
INLGD 12.3-1	INS. PLATE LIGHT WITH GLAND HOLES	1200 X 300	10	4.06	65154
INLGD 14.3-1	INS. PLATE LIGHT WITH GLAND HOLES	1400 X 300	10	4.80	65164
INLGD 16.3-1	INS. PLATE LIGHT WITH GLAND HOLES	1600 X 300	12	5.50	65174





INSTANT PLATE LIGHT ■ WITH GLAND HOLES & CORNERS


INSTANT PLATE LIGHT ■ MED FLANGE HULLER OG HJØRNER


With corner assembly kit

FL21 Glands



TYPE	DESCRIPTION	SIZE (W×D)	NO.OF GLANDS	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
INLGC 4.2-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	400 X 200	1	1.58	65764
INLGC 6.2-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	600 X 200	2	2.12	65804
INLGC 8.2-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	800 X 200	3	2.70	65814
INLGC 10.2-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1000 X 200	4	3.20	65824
INLGC 12.2-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1200 X 200	5	4.10	65834
INLGC 14.2-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1400 X 200	5	4.25	65784
INLGC 16.2-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1600 X 200	6	4.10	65794
INLGC 4.3-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	400 X 300	2	2.03	65774
INLGC 6.3-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	600 X 300	4	2.73	65844
INLGC 8.3-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	800 X 300	6	3.43	65854
INLGC 10.3-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1000 X 300	8	4.13	65864
INLGC 12.3-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1200 X 300	10	4.79	65874
INLGC 14.3-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1400 X 300	10	5.53	65884
INLGC 16.3-1	INS. PL. LIGHT WITH GLAND HOLES & CORNERS	1600 X 300	12	6.23	65894







		INSTANT PANEL DEPTH PROFILES ■ (FOR MOUNTING PLATE)		
		INSTANT PLADE DYBDE PROFIL ■ (TIL MONTAGE PLADE)		
TYPE	DESCRIPTION	PANEL DEPTH	WEIGHT (kg)	ORDER No. RAL 9010 SMF.
IPDP 2	INSTANT PANEL DEPTH PROFILES	200	0.60	80410
IPDP 3	INSTANT PANEL DEPTH PROFILES	300	0.92	80412
IPDP 4	INSTANT PANEL DEPTH PROFILES	400	1.32	80414

		INSTANT PANEL WIDTH PROFILES ■ (FOR MOUNTING PLATE)		
		INSTANT PLADE VINKEL PROFIL ■ (TIL MONTAGE PLADE)		
TYPE	DESCRIPTION	PANEL WIDTH	WEIGHT (kg)	ORDER No. RAL 9010 SMF.
IPWP 2	INSTANT PANEL WIDTH PROFILES	200	0.4	80420
IPWP 4	INSTANT PANEL WIDTH PROFILES	400	1.03	80422
IPWP 6	INSTANT PANEL WIDTH PROFILES	600	1.63	80424
IPWP 8	INSTANT PANEL WIDTH PROFILES	800	2.23	80426
IPWP 10	INSTANT PANEL WIDTH PROFILES	1000	2.82	80428
IPWP 12	INSTANT PANEL WIDTH PROFILES	1200	3.26	80430


For V1 Mounting plate



 Quick gland plate		 Steel gland plate	 Steel gland plate with stud	GLAND PLATE ■ FLANGER ■		
		x 04 Nos.				
TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 7035 FTF.		
QG	QUICK GLAND PLATE	216 × 86	0.32	14734		
SG 216	STEEL GLAND PLATE	216 × 86	0.24	14724		
SGSG 216	STEEL GLAND PLATE WITH STUD	216 × 86	0.32	51005		



Without Gasket





With Gasket

FL21 GLAND PLATE

FL21 FLANGER

TYPE	DESCRIPTION	GLAND PLATE SIZE (W×H)	CABLE HOLE SIZE (Ø)	NO. OF CABLE HOLES	WEIGHT (kg)	ORDER No. Without Gasket RAL 7035 FTF.	ORDER No. With Gasket RAL 7035 FTF.
FL21-12	FL21 GLAND PLATE	214 × 88	12	23	0.220	66334	66339
FL21-16	FL21 GLAND PLATE	214 × 88	16	14	0.219	66344	66349
FL21-16.20	FL21 GLAND PLATE	214 × 88	16/20	8/6	0.217	66354	66359
FL21-20	FL21 GLAND PLATE	214 × 88	20	10	0.215	66364	66369
FL21-25	FL21 GLAND PLATE	214 × 88	25	5	0.224	66374	66379
FL21-32	FL21 GLAND PLATE	214 × 88	32	3	0.227	66384	66389
FL21-40	FL21 GLAND PLATE	214 × 88	40	3	0.210	66394	66399
FL21-50	FL21 GLAND PLATE	214 × 88	50	2	0.208	66404	66409






TYPE	DESCRIPTION	SIZE (W×H)	LOCKS	WEIGHT (kg)	VERSION 3 ORDER No. RAL 7035 FTF.
DOL 2.2	DOOR LIGHT	200 × 200	1	0.51	18407
DOL 2.4	DOOR LIGHT	200 × 400	2	0.92	18417
DOL 2.6	DOOR LIGHT	200 × 600	2	1.33	18427
DOL 2.8	DOOR LIGHT	200 × 800	3	1.75	18437
DOL 2.10	DOOR LIGHT	200 × 1000	3	2.16	18447
DOL 2.12	DOOR LIGHT	200 × 1200	3	2.58	18457
DOL 2.14	DOOR LIGHT	200 × 1400	3	2.99	18467
DOL 2.16	DOOR LIGHT	200 × 1600	4	3.41	18477
DOL 2.18	DOOR LIGHT	200 × 1800	4	3.82	18487
DOL 2.20	DOOR LIGHT	200 × 2000	4	4.24	18497
DOL 3.2	DOOR LIGHT	300 × 200	1	0.76	27887
DOL 3.4	DOOR LIGHT	300 × 400	2	1.07	27897
DOL 3.6	DOOR LIGHT	300 × 600	2	1.50	27907
DOL 3.8	DOOR LIGHT	300 × 800	3	1.92	27917
DOL 3.10	DOOR LIGHT	300 × 1000	3	2.40	27927
DOL 3.12	DOOR LIGHT	300 × 1200	3	2.76	28047
DOL 3.14	DOOR LIGHT	300 × 1400	3	3.17	28057
DOL 3.16	DOOR LIGHT	300 × 1600	4	3.66	28067
DOL 3.18	DOOR LIGHT	300 × 1800	4	4.01	28077
DOL 3.20	DOOR LIGHT	300 × 2000	4	4.60	28087
DOL 4.2	DOOR LIGHT	400 × 200	1	0.92	18527
DOL 4.3	DOOR LIGHT	400 × 300	1	1.10	18517
DOL 4.4	DOOR LIGHT	400 × 400	2	1.67	18537
DOL 4.6	DOOR LIGHT	400 × 600	2	2.43	18547
DOL 4.8	DOOR LIGHT	400 × 800	3	3.18	18557
DOL 4.10	DOOR LIGHT	400 × 1000	3	3.94	18567
DOL 4.12	DOOR LIGHT	400 × 1200	3	4.69	18577
DOL 4.14	DOOR LIGHT	400 × 1400	3	5.45	18587
DOL 4.16	DOOR LIGHT	400 × 1600	4	6.20	18597
DOL 4.18	DOOR LIGHT	400 × 1800	4	6.96	18607
DOL 4.20	DOOR LIGHT	400 × 2000	4	7.71	18617
DOL 5.2	DOOR LIGHT	500 × 200	1	1.20	27937
DOL 5.4	DOOR LIGHT	500 × 400	2	1.99	27947
DOL 5.6	DOOR LIGHT	500 × 600	2	2.77	27957
DOL 5.8	DOOR LIGHT	500 × 800	3	3.56	27967
DOL 5.10	DOOR LIGHT	500 × 1000	3	4.34	27977
DOL 5.12	DOOR LIGHT	500 × 1200	3	5.13	28097
DOL 5.14	DOOR LIGHT	500 × 1400	3	5.91	28107
DOL 5.16	DOOR LIGHT	500 × 1600	4	6.70	28117
DOL 5.18	DOOR LIGHT	500 × 1800	4	7.48	28127
DOL 5.20	DOOR LIGHT	500 × 2000	4	8.27	28137
DOL 6.2	DOOR LIGHT	600 × 200	1	1.33	18637
DOL 6.3	DOOR LIGHT	600 × 300	1	1.52	18737
DOL 6.4	DOOR LIGHT	600 × 400	2	2.43	18647
DOL 6.6	DOOR LIGHT	600 × 600	2	3.52	18657
DOL 6.8	DOOR LIGHT	600 × 800	3	4.62	18667
DOL 6.10	DOOR LIGHT	600 × 1000	3	5.71	18677
DOL 6.12	DOOR LIGHT	600 × 1200	3	6.81	18687
DOL 6.14	DOOR LIGHT	600 × 1400	3	7.90	18697
DOL 6.16	DOOR LIGHT	600 × 1600	4	8.99	18707
DOL 6.18	DOOR LIGHT	600 × 1800	4	10.09	18717
DOL 6.20	DOOR LIGHT	600 × 2000	4	11.18	18727
DOL 8.14	DOOR LIGHT	800 × 1400	3	10.35	18867
DOL 8.16	DOOR LIGHT	800 × 1600	4	11.78	18877
DOL 8.18	DOOR LIGHT	800 × 1800	4	13.22	18887
DOL 8.20	DOOR LIGHT	800 × 2000	4	14.65	18897

* Use door cable holder as door stiffener for 800 wide.

TYPE	DESCRIPTION	WEIGHT (kg)	VERSION 3 ORDER NO.
GBFD	GUIDE BRACKET FOR DOOR	0.038	11109



ORDER INFORMATION

ORDER No.	DESCRIPTION
xxxx-02	Door with Plastic Lock - Steel Cam
xxxx-03	Door with Knob Lock - Plastic
xxxx-04	Door with Knob Lock - Steel Black
xxxx-05	Door with Knob Lock - Stainless Steel
xxxx-06	Door with Guide Brackets
xxxx-07	Door with Plastic Lock




DOOR LIGHT WITH SWING HANDLE ■

DØR MED SVING HÅNDTAG ■

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	VERSION 3 ORDER No. RAL 7035 FTF.
DLSH 3.10	DOOR LIGHT WITH SWING HANDLE	300 × 1000	4.03	81727
DLSH 3.12	DOOR LIGHT WITH SWING HANDLE	300 × 1200	4.50	81737
DLSH 3.14	DOOR LIGHT WITH SWING HANDLE	300 × 1400	4.97	81747
DLSH 3.16	DOOR LIGHT WITH SWING HANDLE	300 × 1600	5.44	81757
DLSH 3.18	DOOR LIGHT WITH SWING HANDLE	300 × 1800	5.91	81767
DLSH 3.20	DOOR LIGHT WITH SWING HANDLE	300 × 2000	6.39	81777
DLSH 4.10	DOOR LIGHT WITH SWING HANDLE	400 × 1000	4.82	81507
DLSH 4.12	DOOR LIGHT WITH SWING HANDLE	400 × 1200	5.71	81517
DLSH 4.14	DOOR LIGHT WITH SWING HANDLE	400 × 1400	6.81	81527
DLSH 4.16	DOOR LIGHT WITH SWING HANDLE	400 × 1600	7.90	81537
DLSH 4.18	DOOR LIGHT WITH SWING HANDLE	400 × 1800	7.96	81547
DLSH 4.20	DOOR LIGHT WITH SWING HANDLE	400 × 2000	10.09	81557
DLSH 5.10	DOOR LIGHT WITH SWING HANDLE	500 × 1000	5.60	81787
DLSH 5.12	DOOR LIGHT WITH SWING HANDLE	500 × 1200	6.39	81797
DLSH 5.14	DOOR LIGHT WITH SWING HANDLE	500 × 1400	7.16	81807
DLSH 5.16	DOOR LIGHT WITH SWING HANDLE	500 × 1600	7.96	81817
DLSH 5.18	DOOR LIGHT WITH SWING HANDLE	500 × 1800	8.74	81827
DLSH 5.20	DOOR LIGHT WITH SWING HANDLE	500 × 2000	9.53	81837
DLSH 6.10	DOOR LIGHT WITH SWING HANDLE	600 × 1000	5.71	81587
DLSH 6.12	DOOR LIGHT WITH SWING HANDLE	600 × 1200	6.81	81597
DLSH 6.14	DOOR LIGHT WITH SWING HANDLE	600 × 1400	7.90	81607
DLSH 6.16	DOOR LIGHT WITH SWING HANDLE	600 × 1600	7.96	81617
DLSH 6.18	DOOR LIGHT WITH SWING HANDLE	600 × 1800	10.09	81627
DLSH 6.20	DOOR LIGHT WITH SWING HANDLE	600 × 2000	11.18	81637

					LOCK INSERTS ■ (FOR SWING HANDLE) LÅSE ■ (TIL SVING HÅNDTAG)		
DOB 3	SQ 8	KLSH	KLSHL	PLSH			
TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No. Non locking	ORDER No. Keyed alike	ORDER No. Keyed different		
DOB 3	DOUBLE BIT 3 LOCK INSERT	0.06	12100	-	-		
SQ 8	SQUARE LOCK INSERT 8 mm	0.05	12105	-	-		
KLSH	KEY LOCK INSERT	0.07	-	12111	12112		
KLSHC	KEY LOCK INSERT CL-001	0.11	-	12134	-		
PLSH	PUSH LOCK INSERT	0.08	12117	-	-		

Other insert options are available on request






DOOR LIGHT ■
WITH NORWEGIAN LOCK

DØR MED SVING ■
HÅNDTAG NORSK LÅS

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	VERSION 3 ORDER No. RAL 7035 FTF.
DWNL 3.10	DOOR LIGHT WITH NORWEGIAN LOCK	300 × 1000	4.03	82007
DWNL 3.12	DOOR LIGHT WITH NORWEGIAN LOCK	300 × 1200	4.50	82017
DWNL 3.14	DOOR LIGHT WITH NORWEGIAN LOCK	300 × 1400	4.97	82027
DWNL 3.16	DOOR LIGHT WITH NORWEGIAN LOCK	300 × 1600	5.44	82037
DWNL 3.18	DOOR LIGHT WITH NORWEGIAN LOCK	300 × 1800	5.91	82047
DWNL 3.20	DOOR LIGHT WITH NORWEGIAN LOCK	300 × 2000	6.39	82057
DWNL 4.10	DOOR LIGHT WITH NORWEGIAN LOCK	400 × 1000	4.82	82067
DWNL 4.12	DOOR LIGHT WITH NORWEGIAN LOCK	400 × 1200	5.71	82077
DWNL 4.14	DOOR LIGHT WITH NORWEGIAN LOCK	400 × 1400	6.81	82087
DWNL 4.16	DOOR LIGHT WITH NORWEGIAN LOCK	400 × 1600	7.90	82097
DWNL 4.18	DOOR LIGHT WITH NORWEGIAN LOCK	400 × 1800	7.96	82107
DWNL 4.20	DOOR LIGHT WITH NORWEGIAN LOCK	400 × 2000	10.09	82117
DWNL 5.10	DOOR LIGHT WITH NORWEGIAN LOCK	500 × 1000	5.60	82127
DWNL 5.12	DOOR LIGHT WITH NORWEGIAN LOCK	500 × 1200	6.39	82137
DWNL 5.14	DOOR LIGHT WITH NORWEGIAN LOCK	500 × 1400	7.17	82147
DWNL 5.16	DOOR LIGHT WITH NORWEGIAN LOCK	500 × 1600	7.96	82157
DWNL 5.18	DOOR LIGHT WITH NORWEGIAN LOCK	500 × 1800	8.74	82167
DWNL 5.20	DOOR LIGHT WITH NORWEGIAN LOCK	500 × 2000	9.53	82177
DWNL 6.10	DOOR LIGHT WITH NORWEGIAN LOCK	600 × 1000	5.71	82187
DWNL 6.12	DOOR LIGHT WITH NORWEGIAN LOCK	600 × 1200	6.81	82197
DWNL 6.14	DOOR LIGHT WITH NORWEGIAN LOCK	600 × 1400	7.90	82207
DWNL 6.16	DOOR LIGHT WITH NORWEGIAN LOCK	600 × 1600	7.96	82217
DWNL 6.18	DOOR LIGHT WITH NORWEGIAN LOCK	600 × 1800	10.09	82227
DWNL 6.20	DOOR LIGHT WITH NORWEGIAN LOCK	600 × 2000	11.18	82237




×50 Nos.


KNOB LOCK ■


FINGER LÅS ■


TYPE	DESCRIPTION	WEIGHT (kg)	VERSION 3 ORDER No. Polyamide black
KL	KNOB LOCK - Plastic	0.005	12106

* Knob Lock - Plastic (KL) is not compatible with Steel Lock.



 COVER LIGHT ■ AFDÆKNING LIGHT ■				
TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	VERSION 3 ORDER No. RAL 7035 FTF.
COVL 2.2	COVER LIGHT	200 × 200	0.51	19607
COVL 2.4	COVER LIGHT	200 × 400	0.92	19617
COVL 2.6	COVER LIGHT	200 × 600	1.33	19627
COVL 2.8	COVER LIGHT	200 × 800	1.75	19637
COVL 2.10	COVER LIGHT	200 × 1000	2.16	19647
COVL 2.12	COVER LIGHT	200 × 1200	2.58	19657
COVL 2.14	COVER LIGHT	200 × 1400	2.99	19667
COVL 2.16	COVER LIGHT	200 × 1600	3.41	19677
COVL 2.18	COVER LIGHT	200 × 1800	3.82	19687
COVL 2.20	COVER LIGHT	200 × 2000	4.24	19697
COVL 3.2	COVER LIGHT	300 × 200	0.76	19707
COVL 3.4	COVER LIGHT	300 × 400	1.07	19717
COVL 3.6	COVER LIGHT	300 × 600	1.50	19727
COVL 3.8	COVER LIGHT	300 × 800	1.92	19737
COVL 3.10	COVER LIGHT	300 × 1000	2.40	19747
COVL 3.12	COVER LIGHT	300 × 1200	2.76	19757
COVL 3.14	COVER LIGHT	300 × 1400	3.17	19767
COVL 3.16	COVER LIGHT	300 × 1600	3.66	19777
COVL 3.18	COVER LIGHT	300 × 1800	4.01	19787
COVL 3.20	COVER LIGHT	300 × 2000	4.60	19797
COVL 4.4	COVER LIGHT	400 × 400	1.67	19807
COVL 4.6	COVER LIGHT	400 × 600	2.43	19817
COVL 4.8	COVER LIGHT	400 × 800	3.18	19827
COVL 4.10	COVER LIGHT	400 × 1000	3.94	19837
COVL 4.12	COVER LIGHT	400 × 1200	4.69	19847
COVL 4.14	COVER LIGHT	400 × 1400	5.45	19857
COVL 4.16	COVER LIGHT	400 × 1600	6.20	19867
COVL 4.18	COVER LIGHT	400 × 1800	6.96	19877
COVL 4.20	COVER LIGHT	400 × 2000	7.71	19887
COVL 5.2	COVER LIGHT	500 × 200	1.20	28907
COVL 5.4	COVER LIGHT	500 × 400	1.99	28917
COVL 5.6	COVER LIGHT	500 × 600	2.77	28927
COVL 5.8	COVER LIGHT	500 × 800	3.56	28937
COVL 5.10	COVER LIGHT	500 × 1000	4.34	28947
COVL 5.12	COVER LIGHT	500 × 1200	5.13	28957
COVL 5.14	COVER LIGHT	500 × 1400	5.91	28967
COVL 5.16	COVER LIGHT	500 × 1600	6.70	28977
COVL 5.18	COVER LIGHT	500 × 1800	7.48	28987
COVL 5.20	COVER LIGHT	500 × 2000	8.27	28997
COVL 6.6	COVER LIGHT	600 × 600	3.59	19897
COVL 6.8	COVER LIGHT	600 × 800	4.62	19907
COVL 6.10	COVER LIGHT	600 × 1000	5.71	19917
COVL 6.12	COVER LIGHT	600 × 1200	6.81	19927
COVL 6.14	COVER LIGHT	600 × 1400	7.90	19937
COVL 6.16	COVER LIGHT	600 × 1600	8.99	19947
COVL 6.18	COVER LIGHT	600 × 1800	10.09	19957
COVL 6.20	COVER LIGHT	600 × 2000	11.18	19967
COVL 8.14	COVER LIGHT	800 × 1400	10.5	73367
COVL 8.16	COVER LIGHT	800 × 1600	12.4	73377
COVL 8.18	COVER LIGHT	800 × 1800	13.92	73387
COVL 8.20	COVER LIGHT	800 × 2000	15.46	73397






TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	VERSION 2 ORDER No. 2 mm Alu-zinc	VERSION 2 ORDER No. 3 mm Alu-zinc
MPV2 2.2	MOUNTING PLATE	200 × 200	0.52	19430	-
MPV2 2.4	MOUNTING PLATE	200 × 400	1.15	19431	-
MPV2 2.6	MOUNTING PLATE	200 × 600	1.70	19432	-
MPV2 2.8	MOUNTING PLATE	200 × 800	2.38	19433	-
MPV2 2.10	MOUNTING PLATE	200 × 1000	4.61	19434	-
MPV2 2.12	MOUNTING PLATE	200 × 1200	6.20	19435	-
MPV2 2.14	MOUNTING PLATE	200 × 1400	7.35	19436	-
MPV2 2.16	MOUNTING PLATE	200 × 1600	8.31	19437	-
MPV2 2.18	MOUNTING PLATE	200 × 1800	9.71	19438	-
MPV2 2.20	MOUNTING PLATE	200 × 2000	11.12	19439	-
MPV2 4.3	MOUNTING PLATE	400 × 300	1.51	19461	-
MPV2 4.4	MOUNTING PLATE	400 × 400	2.17	19462	-
MPV2 4.6	MOUNTING PLATE	400 × 600	3.60	19463	-
MPV2 4.8	MOUNTING PLATE	400 × 800	4.51	19464	-
MPV2 4.10	MOUNTING PLATE	400 × 1000	6.02	19465	-
MPV2 4.12	MOUNTING PLATE	400 × 1200	7.41	19466	-
MPV2 4.14	MOUNTING PLATE	400 × 1400	8.65	19467	-
MPV2 4.16	MOUNTING PLATE	400 × 1600	10.11	19468	-
MPV2 4.18	MOUNTING PLATE	400 × 1800	11.31	19469	-
MPV2 4.20	MOUNTING PLATE	400 × 2000	12.31	19470	-
MPV2 6.6	MOUNTING PLATE	600 × 600	5.42	19471	-
MPV2 6.8	MOUNTING PLATE	600 × 800	7.28	19472	-
MPV2 6.10	MOUNTING PLATE	600 × 1000	9.31	19473	-
MPV2 6.12	MOUNTING PLATE	600 × 1200	11.21	19474	-
MPV2 6.14	MOUNTING PLATE	600 × 1400	13.21	19475	-
MPV2 6.16	MOUNTING PLATE	600 × 1600	15.21	19476	-
MPV2 6.18	MOUNTING PLATE	600 × 1800	17.23	19477	-
MPV2 6.20	MOUNTING PLATE	600 × 2000	19.21	19478	19495
MPV2 6.22	MOUNTING PLATE	600 × 2200	21.19	19486	19502
MPV2 8.8	MOUNTING PLATE	800 × 800	10.02	19479	-
MPV2 8.10	MOUNTING PLATE	800 × 1000	12.64	19480	-
MPV2 8.12	MOUNTING PLATE	800 × 1200	15.27	19481	-
MPV2 8.14	MOUNTING PLATE	800 × 1400	17.89	19482	-
MPV2 8.16	MOUNTING PLATE	800 × 1600	20.51	19483	-
MPV2 8.18	MOUNTING PLATE	800 × 1800	23.13	19484	-
MPV2 8.20	MOUNTING PLATE	800 × 2000	25.75	19485	19496
MPV2 8.22	MOUNTING PLATE	800 × 2200	28.37	-	19498
MPV2 10.20	MOUNTING PLATE	1000 × 2000	46.96	-	19499
MPV2 10.22	MOUNTING PLATE	1000 × 2200	51.66	-	19500
MPV2 12.20	MOUNTING PLATE	1200 × 2000	56.36	-	19501
MPV2 12.22	MOUNTING PLATE	1200 × 2200	62.00	-	19497

TYPE	DESCRIPTION	WEIGHT (kg)	VERSION 2 ORDER No.
FIPV2 18	FILLER PROFILE 1800	2.99	19515
FIPV2 20	FILLER PROFILE 2000	3.35	19516
FIPV2 22	FILLER PROFILE 2200	3.71	19517


TYPE	DESCRIPTION	WEIGHT (kg)	VERSION 2 ORDER No.
MBV2	MOUNTING BRACKETS	0.46	19490
MBOV2	MOUNTING BRACKETS WITH OVAL HOLES	0.40	19493
HDMB	HEAVY DUTY MOUNTING BRACKETS	0.82	19491
HDMB3	HEAVY DUTY MOUNTING BRACKETS FOR 3mm	1.25	19492
SFMP	SPACER FOR MOUNTING PLATE	0.02	19494

MBV2




Maximum load 100kg with standard brackets.

MBOV2




SFMP

Fixing from back side



HDMB HDMB3

When using heavy duty brackets, the top must be mounted with standard brackets.



Maximum Load 250kg with heavy duty brackets.
Maximum Load 500kg with 3mm Mounting Plate & heavy duty brackets.

FIPV2






CHASSIS PROFILES ■

CHASSIS PROFIL ■

TYPE	DESCRIPTION	MODULAR SIZE	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 FTF.
CPDB 2	CHASSIS PROFILES	200	0.3	65250	65274
CPDB 4	CHASSIS PROFILES	400	1.1	65260	65191
CPDB 6	CHASSIS PROFILES	600	2.3	65261	65192
CPDB 8	CHASSIS PROFILES	800	2.5	65262	65193
CPDB 10	CHASSIS PROFILES	1000	2.8	65263	65194
CPDB 12	CHASSIS PROFILES	1200	3.1	65264	65195
CPDB 14	CHASSIS PROFILES	1400	3.3	65270	65196
CPDB 16	CHASSIS PROFILES	1600	4.2	65271	65197
CPDB 18	CHASSIS PROFILES	1800	4.6	65272	65198
CPDB 20	CHASSIS PROFILES	2000	5.1	65273	65199



FLAT TOP & BOTTOM PROFILES ■

FLAD TOP OG BUND RAMME ■


TYPE	DESCRIPTION	MODULAR SIZE (W)	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 FTF.
TBPDB 3	FLAT TOP & BOTTOM PROFILES	300	0.21	65265	65285
TBPDB 4	FLAT TOP & BOTTOM PROFILES	400	0.30	65266	65286
TBPDB 5	FLAT TOP & BOTTOM PROFILES	500	0.40	65267	65287
TBPDB 6	FLAT TOP & BOTTOM PROFILES	600	0.51	65268	65288
TBPDB 8	FLAT TOP & BOTTOM PROFILES	800	0.68	65269	65289




25 mm FILLING PROFILES ■

25 mm FYLDER PROFIL ■

TYPE	DESCRIPTION	MODULAR SIZE (W)	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 FTF.
FLPDB 3	25 mm FILLING PROFILES	300	0.22	65291	65475
FLPDB 4	25 mm FILLING PROFILES	400	0.30	65292	65476
FLPDB 5	25 mm FILLING PROFILES	500	0.37	65293	65477
FLPDB 6	25 mm FILLING PROFILES	600	0.45	65294	65478
FLPDB 8	25 mm FILLING PROFILES	800	0.37	65295	65479



TYPE	DIN INSERTS															
	300×150		400×150		500×150		600×150		300×200		400×200		500×200		600×200	
	ROWS	MODULES	ROWS	MODULES	ROWS	MODULES	ROWS	MODULES	ROWS	MODULES	ROWS	MODULES	ROWS	MODULES	ROWS	MODULES
CPDB 2	1	12	1	18	1	23	1	29	-	-	-	-	-	-	-	-
CPDB 4	2	24	2	36	2	46	2	58	1	12	1	18	1	23	1	29
CPDB 6	3	36	3	54	3	69	3	87	2	24	2	36	2	46	2	58
CPDB 8	5	60	5	90	5	115	5	145	3	36	3	54	3	69	3	87
CPDB 10	6	72	6	108	6	138	6	174	4	48	4	72	4	92	4	116
CPDB 12	7	84	7	126	7	161	7	203	5	60	5	90	5	115	5	145
CPDB 14	9	108	9	162	9	207	9	261	6	72	6	108	6	138	6	174
CPDB 16	10	120	10	180	10	230	10	290	7	84	7	126	7	161	7	203
CPDB 18	11	132	11	198	11	253	11	319	8	96	8	144	8	184	8	232
CPDB 20	13	156	13	234	13	299	13	377	9	108	9	162	9	207	9	261



STEEL DIN RAIL INSERT ■ (FOR **SMISSLINE^{TP}** BY **ABB**)

STÅL DIN INDSATS ■ (TIL **SMISSLINE^{TP}** BY **ABB**)

TYPE	DESCRIPTION	ROWS × MODULES	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 FTF.
*SMDI 3.1-5	STEEL DIN RAIL INSERT	1 × 8	300 × 150	0.49	66549	66525
*SMDI 3.2	STEEL DIN RAIL INSERT	1 × 8	300 × 200	0.59	66550	66526
*SMDI 3.3	STEEL DIN RAIL INSERT	2 × 8	300 × 300	0.79	66551	66527
*SMDI 3.4-5	STEEL DIN RAIL INSERT	3 × 8	300 × 450	1.09	66552	66528
SMDI 4.1-5	STEEL DIN RAIL INSERT	1 × 12	400 × 150	0.63	66553	66529
SMDI 4.2	STEEL DIN RAIL INSERT	1 × 12	400 × 200	0.78	66554	66530
SMDI 4.3	STEEL DIN RAIL INSERT	2 × 12	400 × 300	1.04	66555	66531
SMDI 4.4-5	STEEL DIN RAIL INSERT	3 × 12	400 × 450	1.45	66556	66532
*SMDI 5.1-5	STEEL DIN RAIL INSERT	1 × 18	500 × 150	0.77	66557	66533
*SMDI 5.2	STEEL DIN RAIL INSERT	1 × 18	500 × 200	0.96	66558	66534
*SMDI 5.3	STEEL DIN RAIL INSERT	2 × 18	500 × 300	1.29	66559	66535
*SMDI 5.4-5	STEEL DIN RAIL INSERT	3 × 18	500 × 450	1.81	66560	66536
SMDI 6.1-5	STEEL DIN RAIL INSERT	1 × 24	600 × 150	0.91	66561	66537
SMDI 6.2	STEEL DIN RAIL INSERT	1 × 24	600 × 200	1.14	66562	66538
SMDI 6.3	STEEL DIN RAIL INSERT	2 × 24	600 × 300	1.54	66563	66539
SMDI 6.4-5	STEEL DIN RAIL INSERT	3 × 24	600 × 450	2.17	66564	66540
SMDI 8.1-5	STEEL DIN RAIL INSERT	1 × 34	800 × 150	1.19	66565	66541
SMDI 8.2	STEEL DIN RAIL INSERT	1 × 34	800 × 200	1.50	66566	66542
SMDI 8.3	STEEL DIN RAIL INSERT	2 × 34	800 × 300	2.04	66567	66543
SMDI 8.4-5	STEEL DIN RAIL INSERT	3 × 34	800 × 450	2.90	66568	66544
SMDI 10.1-5	STEEL DIN RAIL INSERT	1 × 46	1000 × 150	1.48	66569	66545
SMDI 10.2	STEEL DIN RAIL INSERT	1 × 46	1000 × 200	1.86	66570	66546
SMDI 10.3	STEEL DIN RAIL INSERT	2 × 46	1000 × 300	2.55	66571	66547
SMDI 10.4-5	STEEL DIN RAIL INSERT	3 × 46	1000 × 450	3.62	66572	66548

* Horizontal mounting only.




FILLING PROFILES ■ (FOR **SMISSLINE^{TP}** BY **ABB**)


FYLDER PROFIL ■ (TIL **SMISSLINE^{TP}** BY **ABB**)

TYPE	DESCRIPTION	SIZE (W)	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 FTF.
SMFP 4	FILLING PROFILE VERTICAL	400	0.30	66577	66573
SMFP 6	FILLING PROFILE VERTICAL	600	0.51	66578	66574
SMFP 8	FILLING PROFILE VERTICAL	800	0.68	66579	66575
SMFP 10	FILLING PROFILE VERTICAL	1000	0.79	66580	66576

HORIZONTAL ARRANGEMENT




VERTICAL ARRANGEMENT



TYPE	SIZE (W)	MODULES PER ROW	6-MODULE SOCKET PER ROW	8-MODULE SOCKET PER ROW	BUSBAR LENGTH
SMDI 3.X	300	8	0	1	140
SMDI 4.X	400	12	2	0	212
SMDI 5.X	500	18	3	0	320
SMDI 6.X	600	24	0	3	428
SMDI 8.X	800	34	3	2	608
SMDI 10.X	1000	46	1	5	824

Note : 'X' is Height.



DIDB 4.15





DIDB 4.45

STEEL DIN RAIL INSERT ■
(FOR CHASSIS PROFILE)

STÅL DIN INDSATS ■
(TIL CHASSIS PROFIL)

TYPE	DESCRIPTION	ROWS+MODULES	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 FTF.
DIDB 3.1-5	STEEL DIN RAIL INSERT	1 × 12	300 × 150	0.40	65305	65306
DIDB 3.2	STEEL DIN RAIL INSERT	1 × 12	300 × 200	0.52	65315	65316
DIDB 3.3	STEEL DIN RAIL INSERT	2 × 12	300 × 300	0.78	65375	65376
DIDB 3.4-5	STEEL DIN RAIL INSERT	3 × 12	300 × 450	1.20	65450	65451
DIDB 4.1-5	STEEL DIN RAIL INSERT	1 × 18	400 × 150	0.51	65300	65301
DIDB 4.2	STEEL DIN RAIL INSERT	1 × 18	400 × 200	0.75	65310	65311
DIDB 4.3	STEEL DIN RAIL INSERT	2 × 18	400 × 300	1.04	65380	65381
DIDB 4.4-5	STEEL DIN RAIL INSERT	3 × 18	400 × 450	1.53	65455	65456
DIDB 5.1-5	STEEL DIN RAIL INSERT	1 × 23	500 × 150	0.67	65325	65326
DIDB 5.2	STEEL DIN RAIL INSERT	1 × 23	500 × 200	0.86	65335	65336
DIDB 5.3	STEEL DIN RAIL INSERT	2 × 23	500 × 300	1.30	65385	65386
DIDB 5.4-5	STEEL DIN RAIL INSERT	3 × 12	500 × 450	2.01	65460	65461
DIDB 6.1-5	STEEL DIN RAIL INSERT	1 × 29	600 × 150	0.83	65320	65321
DIDB 6.2	STEEL DIN RAIL INSERT	1 × 29	600 × 200	1.04	65330	65331
DIDB 6.3	STEEL DIN RAIL INSERT	2 × 29	600 × 300	1.56	65390	65391
DIDB 6.4-5	STEEL DIN RAIL INSERT	3 × 29	600 × 450	2.49	65465	65466
DIDB 8.1-5	STEEL DIN RAIL INSERT	1 × 40	800 × 150	0.99	65340	65341
DIDB 8.2	STEEL DIN RAIL INSERT	1 × 40	800 × 200	1.22	65345	65346
DIDB 8.3	STEEL DIN RAIL INSERT	2 × 40	800 × 300	1.82	65395	65396
DIDB 8.4-5	STEEL DIN RAIL INSERT	3 × 40	800 × 450	2.97	65397	65398

				STEEL BLANK FRONT PLATE ■ (FOR CHASSIS PROFILE)				AFDÆKNING ■ (TIL CHASSIS PROFIL)	
		Seal type							
TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. SEAL TYPE RAL 9010 SMF.	ORDER No. RAL 7035 FTF.	ORDER No. SEAL TYPE RAL7035 FTF.		
BFDB 3.5	STEEL BLANK FRONT PLATE	300 × 50	0.13	65543	-	65549	-		
BFDB 3.1	STEEL BLANK FRONT PLATE	300 × 100	0.26	65544	-	65551	-		
BFDB 3.1-5	STEEL BLANK FRONT PLATE	300 × 150	0.39	65545	65547	65553	65554		
BFDB 3.2	STEEL BLANK FRONT PLATE	300 × 200	0.52	65546	65548	65556	65558		
BFDB 3.3	STEEL BLANK FRONT PLATE	300 × 300	0.83	65550	65552	65559	65561		
BFDB 3.4-5	STEEL BLANK FRONT PLATE	300 × 450	1.17	65555	65557	65567	65568		
BFDB 3.6	STEEL BLANK FRONT PLATE	300 × 600	1.56	65560	65562	65569	65571		
BFDB 4.5	STEEL BLANK FRONT PLATE	400 × 50	0.19	65498	-	65508	-		
BFDB 4.1	STEEL BLANK FRONT PLATE	400 × 100	0.37	65499	-	65509	-		
BFDB 4.1-5	STEEL BLANK FRONT PLATE	400 × 150	0.56	65500	65502	65506	65511		
BFDB 4.2	STEEL BLANK FRONT PLATE	400 × 200	0.69	65501	65503	65513	65514		
BFDB 4.3	STEEL BLANK FRONT PLATE	400 × 300	1.02	65505	65507	65516	65522		
BFDB 4.4-5	STEEL BLANK FRONT PLATE	400 × 450	1.53	65510	65512	65523	65524		
BFDB 4.6	STEEL BLANK FRONT PLATE	400 × 600	2.05	65515	65517	65526	65527		
BFDB 5.5	STEEL BLANK FRONT PLATE	500 × 50	0.23	65563	-	65572	-		
BFDB 5.1	STEEL BLANK FRONT PLATE	500 × 100	0.46	65564	-	65573	-		
BFDB 5.1-5	STEEL BLANK FRONT PLATE	500 × 150	0.69	65565	-	65574	-		
BFDB 5.2	STEEL BLANK FRONT PLATE	500 × 200	0.86	65566	-	65576	-		
BFDB 5.3	STEEL BLANK FRONT PLATE	500 × 300	1.28	65570	-	65577	-		
BFDB 5.4-5	STEEL BLANK FRONT PLATE	500 × 450	2.08	65575	-	65578	-		
BFDB 5.6	STEEL BLANK FRONT PLATE	500 × 600	2.78	65580	-	65581	-		
BFDB 6.5	STEEL BLANK FRONT PLATE	600 × 50	0.25	65518	-	65528	-		
BFDB 6.1	STEEL BLANK FRONT PLATE	600 × 100	0.51	65519	-	65529	-		
BFDB 6.1-5	STEEL BLANK FRONT PLATE	600 × 150	0.76	65520	-	65531	-		
BFDB 6.2	STEEL BLANK FRONT PLATE	600 × 200	1.03	65521	-	65532	-		
BFDB 6.3	STEEL BLANK FRONT PLATE	600 × 300	1.56	65525	-	65533	-		
BFDB 6.4-5	STEEL BLANK FRONT PLATE	600 × 450	2.29	65530	-	65534	-		
BFDB 6.6	STEEL BLANK FRONT PLATE	600 × 600	3.06	65535	-	65536	-		
BFDB 8.5	STEEL BLANK FRONT PLATE	800 × 50	0.25	65640	-	65641	-		
BFDB 8.1	STEEL BLANK FRONT PLATE	800 × 100	0.51	65642	-	65643	-		
BFDB 8.1-5	STEEL BLANK FRONT PLATE	800 × 150	0.76	65644	-	65645	-		
BFDB 8.2	STEEL BLANK FRONT PLATE	800 × 200	1.03	65646	-	65647	-		
BFDB 8.3	STEEL BLANK FRONT PLATE	800 × 300	1.54	65584	-	65585	-		
BFDB 8.4-5	STEEL BLANK FRONT PLATE	800 × 450	2.29	65586	-	65587	-		
BFDB 8.6	STEEL BLANK FRONT PLATE	800 × 600	3.04	65588	-	65589	-		


Tip!

Mounting and wiring can be done on the work table.


Tilt the front plate when fixing in the top.


Maximum Torque 5Nm

Bend the flap slightly so the internal cover or DIN insert can be placed correctly and aligned with fixing holes.

**Tip!**

Use cable clips for fast and neat wiring.






STEEL DIN RAIL INSERT ■ WITH ESCUTCHEON DOOR (FOR CHASSIS PROFILE)

STÅL DIN INDSATS ■ MED INVENDIG DØR (TIL CHASSIS PROFILE)


TYPE	DESCRIPTION	ROWS+MODULES	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
SDRCP 4.2	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	1 × 18	400 × 200	1.85	30600	30601
SDRCP 4.4	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	2 × 18	400 × 400	3.30	30602	30603
SDRCP 4.6	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	4 × 18	400 × 600	4.88	30604	30605
SDRCP 4.8	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	6 × 18	400 × 800	5.45	30606	30607
SDRCP 4.10	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	7 × 18	400 × 1000	7.35	30608	30609
SDRCP 6.2	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	1 × 29	600 × 200	2.60	30620	30621
SDRCP 6.4	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	2 × 29	600 × 400	4.58	30622	30623
SDRCP 6.6	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	4 × 29	600 × 600	6.81	30624	30625
SDRCP 6.8	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	6 × 29	600 × 800	9.72	30626	30627
SDRCP 6.10	STEEL DIN RAIL INSERT WITH ESCUTCHEON DOOR	7 × 29	600 × 1000	10.87	30628	30629




ESCUTCHEON DOOR ■ (FOR CHASSIS PROFILE)

INVENDIG DØR ■ (TIL CHASSIS PROFILE)

TYPE	DESCRIPTION	ROWS+MODULES	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
ESDCP 4.2	ESCUTCHEON DOOR	1 × 18	400 × 200	1.87	16410	16411
ESDCP 4.4	ESCUTCHEON DOOR	2 × 18	400 × 400	3.24	16412	16413
ESDCP 4.6	ESCUTCHEON DOOR	4 × 18	400 × 600	4.60	16414	16415
ESDCP 4.8	ESCUTCHEON DOOR	6 × 18	400 × 800	5.97	16416	16417
ESDCP 4.10	ESCUTCHEON DOOR	7 × 18	400 × 1000	7.43	16418	16419
ESDCP 6.2	ESCUTCHEON DOOR	1 × 29	600 × 200	2.55	16430	16431
ESDCP 6.4	ESCUTCHEON DOOR	2 × 29	600 × 400	4.39	16432	16433
ESDCP 6.6	ESCUTCHEON DOOR	4 × 29	600 × 600	6.23	16434	16435
ESDCP 6.8	ESCUTCHEON DOOR	6 × 29	600 × 800	8.55	16436	16437
ESDCP 6.10	ESCUTCHEON DOOR	7 × 29	600 × 1000	9.90	16438	16439





PLASTIC DIN INSERT ■ (FOR CHASSIS PROFILE)

PLASTIK DIN INDSATS ■ (TIL CHASSIS PROFIL)

TYPE	DESCRIPTION	ROWS × MODULES	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 FTF.
PDIDB 4.15	PLASTIC DIN INSERT	1 × 18	400×150	0.12	65485	65486
PDIDB 5.15	PLASTIC DIN INSERT	1 × 23	500×150	0.15	65487	65488
PDIDB 6.15	PLASTIC DIN INSERT	1 × 29	600×150	0.18	65489	65490




PE BRASS BAR ■ (FOR CHASSIS PROFILE)

PE SKINNE MED BESLAG ■ (TIL CHASSIS PROFIL)

TYPE	DESCRIPTION	LENGTH	MAX. CABLE SIZE (mm ²)	NO. OF CONNECTING POINTS	WEIGHT (kg)	ORDER No.
PBBBCP 1.1	PE BRASS BAR - 6×9	300	10	21	0.19	66080
PBBBCP 1.2	PE BRASS BAR - 6×9	400	10	34	0.23	66081
PBBBCP 1.3	PE BRASS BAR - 6×9	500	10	46	0.27	66082
PBBBCP 1.4	PE BRASS BAR - 6×9	600	10	59	0.30	66083
PBBBCP 1.5	PE BRASS BAR - 6×9	800	10	84	0.38	66084
PBBBCP 2.1	PE BRASS BAR - 8×10	300	16	19	0.24	66085
PBBBCP 2.2	PE BRASS BAR - 8×10	400	16	30	0.30	66086
PBBBCP 2.3	PE BRASS BAR - 8×10	500	16	41	0.36	66087
PBBBCP 2.4	PE BRASS BAR - 8×10	600	16	52	0.42	66088
PBBBCP 2.5	PE BRASS BAR - 8×10	800	16	74	0.53	66089
PBBBCP 3.1	PE BRASS BAR - 8×12	300	25	17	0.26	66090
PBBBCP 3.2	PE BRASS BAR - 8×12	400	25	27	0.33	66091
PBBBCP 3.3	PE BRASS BAR - 8×12	500	25	37	0.39	66092
PBBBCP 3.4	PE BRASS BAR - 8×12	600	25	47	0.46	66093
PBBBCP 3.5	PE BRASS BAR - 8×12	800	25	67	0.59	66094

Brackets are included.




PE COPPER BAR ■ (FOR CHASSIS PROFILE)

PE SKINNE MED BESLAG ■ (TIL CHASSIS PROFIL)

Cu Size 5×20





TYPE	DESCRIPTION	LENGTH	WEIGHT (kg)	ORDER No.
PCBCP 1.1	PE COPPER BAR	300	0.19	66077
PCBCP 1.2	PE COPPER BAR	400	0.23	66078
PCBCP 1.3	PE COPPER BAR	500	0.27	66079

Brackets are included.





Use flat screwdriver
when removing the front plate.



Tilt the front plate and
click in to one side first.



		DIN RAIL ■		
		DIN SKINNE ■		
TYPE	DESCRIPTION	LENGTH	WEIGHT (kg)	ORDER No. Aluminium
ALDR 2	DIN RAIL	2000	0.764	65350
ALDR 4	DIN RAIL	4000	1.530	65351

		BRACKETS  (FOR DIN RAIL)	
		BESLAG  (TIL DIN SKINNE)	
TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No. Zinc plated
BDR	BRACKETS FOR DIN RAIL	0.06	65591



		ADJUSTABLE BRACKETS  (FOR DIN RAIL)	
		JUSTERBARE DIN  (TIL DIN SKINNEBESLAG)	
TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No. Zinc plated
ABDR	ADJUSTABLE BRACKETS	0.14	65592


DIN RAIL WITH BRACKETS

HEL DIN SKINNE MED BESLAG

TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No.
DBDR 6	DIN RAIL WITH BRACKETS	0.22	65594
DBDR 8	DIN RAIL WITH BRACKETS	0.35	65597
DBDRA 6	DIN RAIL WITH BRACKETS ASSEMBLED	0.22	65590
DBDRA 8	DIN RAIL WITH BRACKETS ASSEMBLED	0.35	69599


				DIN RAIL 
				WITH ADJUSTABLE BRACKETS
				DIN SKINNE 
				MED JUSTERBARE BESLAG
TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No.	
DABDR 6	DIN RAIL WITH ADJUSTABLE BRACKETS	0.31	65595	
DABDR 8	DIN RAIL WITH ADJUSTABLE BRACKETS	0.53	65598	
DABDRA 6	DIN RAIL WITH ADJUSTABLE BRACKETS ASSEMBLED	0.31	65648	
DABDRA 8	DIN RAIL WITH ADJUSTABLE BRACKETS ASSEMBLED	0.53	65649	

Instruction for depth adjustable DIN Rail





40mm wide cable trays with front access!

Cut off section




Replace with bracket







Compact - 150mm between DIN rails.
All cables laid with cable ties.




Compact - all cables laid in
cable ducts on the rear.




Cable duct - between DIN rails.



Wide space - 200mm between DIN rails.
Front access to cable ducts
1 vertical cable duct.




Wide space - 200mm between DIN rails.
Front access to cable ducts
2 vertical cable ducts.



CABLE CLIP ■

KABEL HOLDER ■




TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No.
CCP	CABLE CLIP	0.31	14370




DIN RAIL HOLDER ■


DIN SKINNE HOLDER ■

TYPE	DESCRIPTION	WEIGHT (kg)	ORDER No.
DRHD	DIN RAIL HOLDER	0.88	65593



Tip!
You can separate incoming - outgoing and bus in 3 different compartments.






DANISH STANDARD METER COMPARTMENT ■

DANSK STANDARD MÅLER FELT ■

● x 03

TYPE	DESCRIPTION	SIZE (W×H×D)	WEIGHT (kg)	VERSION 3 ORDER No. RAL 7035 FTF.
DSMC 4	DANISH STANDARD METER COMPARTMENT	400×600×200	6.74	31117
DSMC 6	DANISH STANDARD METER COMPARTMENT	600×600×200	9.81	31127




CT INSERT ■

STRØMMÅLER INDSATS ■

CURRENT TRANSFORMER INSERT

TYPE	DESCRIPTION	RATED CURRENT	Cu SIZE	SIZE (W×H)	WEIGHT (kg)	VERSION 3 ORDER No. RAL 7035 FTF.
CTIN 4	CT INSERT	400	5×40	400×400	6.97	31157
CTIN 8	CT INSERT	800	10×40	400×400	11.77	31167
CTIN 12,5	CT INSERT	1250	10×50	600×400	13.79	31197



DOOR SEAL SYSTEM ■

PLOMBERINGSSÆT ■

TYPE	DESCRIPTION	WEIGHT (kg)	VERSION 3 ORDER No. Steel Black
DSES	DOOR SEAL SYSTEM	0.1	30859







POLYCARBONATE SEPARATION PLATE ■

POLYCARBONAT SEPERATIONSPLADE ■

2mm

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No.
PSP 2.18	POLYCARBONATE SEPARATION PLATE	200 × 1800	0.67	16924
PSP 2.20	POLYCARBONATE SEPARATION PLATE	200 × 2000	0.75	16927
PSP 3.18	POLYCARBONATE SEPARATION PLATE	300 × 1800	1.08	16884
PSP 3.20	POLYCARBONATE SEPARATION PLATE	300 × 2000	1.20	16887






NORWEGIAN STANDARD ■
METER COMPARTMENT

NORSK STANDARD ■
MÅLER FELT


TYPE	DESCRIPTION	SIZE (W×H×D)	QUANTITY OF METERS	WEIGHT (kg)	ORDER No. RAL 9010 SMF.	ORDER No. RAL 7035 SMF.
MCFO 3.6.2	NORWEGIAN STANDARD METER COMPAR.	300 × 600 × 200	1	2.80	65671	66030
MCFO 3.10.2	NORWEGIAN STANDARD METER COMPAR.	300 × 1000 × 200	2	4.40	65672	66031
MCFO 3.12.2	NORWEGIAN STANDARD METER COMPAR.	300 × 1200 × 200	3	5.19	65673	66032
MCFO 3.14.2	NORWEGIAN STANDARD METER COMPAR.	300 × 1400 × 200	3	6.02	65674	66033
MCFO 4.4.2	NORWEGIAN STANDARD METER COMPAR.	400 × 400 × 200	1	2.45	65663	66034
MCFO 4.6.2	NORWEGIAN STANDARD METER COMPAR.	400 × 600 × 200	1	3.45	65664	66035
MCFO 4.8.2	NORWEGIAN STANDARD METER COMPAR.	400 × 800 × 200	2	4.39	65691	66036
MCFO 4.10.2	NORWEGIAN STANDARD METER COMPAR.	400 × 1000 × 200	2	5.36	65692	66037
MCFO 4.12.2	NORWEGIAN STANDARD METER COMPAR.	400 × 1200 × 200	3	6.31	65693	66038
MCFO 6.4.2	NORWEGIAN STANDARD METER COMPAR.	600 × 400 × 200	2	3.39	65694	66039
MCFO 6.6.2	NORWEGIAN STANDARD METER COMPAR.	600 × 600 × 200	2	4.69	65695	66040
MCFO 6.8.2	NORWEGIAN STANDARD METER COMPAR.	600 × 800 × 200	4	5.89	65696	66041
MCFO 6.10.2	NORWEGIAN STANDARD METER COMPAR.	600 × 1000 × 200	4	7.17	65697	66042
MCFO 6.12.2	NORWEGIAN STANDARD METER COMPAR.	600 × 1200 × 200	6	8.38	65698	66043
MCFO 6.14.2	NORWEGIAN STANDARD METER COMPAR.	600 × 1400 × 200	6	9.67	65699	66044
MCFO 8.6.2	NORWEGIAN STANDARD METER COMPAR.	800 × 600 × 200	3	5.93	65682	66045
MCFO 8.10.2	NORWEGIAN STANDARD METER COMPAR.	800 × 1000 × 200	6	8.98	65683	66046
MCFO 8.12.2	NORWEGIAN STANDARD METER COMPAR.	800 × 1200 × 200	9	12.51	65684	66047
MCFO 8.14.2	NORWEGIAN STANDARD METER COMPAR.	800 × 1400 × 200	9	14.42	65685	66048




DOOR ■
(FOR NORWEGIAN STANDARD
METER COMPARTMENT)


DØR ■
(TIL NORSK STANDARD
MÅLER FELT)


TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	VERSION 3 ORDER No. RAL 7035 FTF.
DMCF 3.6	DOOR	300×600	1.50	65707
DMCF 6.6	DOOR	600×600	3.52	65717




		NORWEGIAN STANDARD ■ METER COMPARTMENT (FOR CHASSIS PROFILE)		
		NORSK STANDARD ■ MÅLER FELT (TIL CHASSIS PROFIL)		
TYPE	DESCRIPTION	SIZE (W×H×D)	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
MCNS 3.4-5.2	NORWEGIAN STANDARD METER COMPARTMENT	300×450×200	3.45	65756


		MOUNTING PLATE ■ (FOR NORWEGIAN STANDARD METER COMPARTMENT)		
		MONTAGE PLADE ■ (TIL NORSK STANDARD MÅLER FELT)		
TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
MPNMC 3.4-5	MOUNTING PLATE	300×450	0.95	65757

		FILLER PROFILES ■ (FOR NORWEGIAN STANDARD METER COMPARTMENT)		
		AFDÆKNING PROFIL ■ (TIL NORSK STANDARD MÅLER FELT)		
TYPE	DESCRIPTION	SIZE (W)	WEIGHT (kg)	ORDER No. RAL 7035 FTF.
FPNMC 6	FILLER PROFILES	600	0.49	65758
FPNMC 8	FILLER PROFILES	800	0.67	65759




				BUSBAR HOLDER ■ SKINNE HOLDER ■			
				Max. 16kA/0.5 Sec			
TYPE	DESCRIPTION	SIZE	MAX. Cu SIZE	MAX. QTY. CONDUCTORS PER PHASE	PHASE CENTERS	WEIGHT (kg)	ORDER No.
BAH	BUSBAR HOLDER	25×25×150	5×15	1	30	0.03	20300

				Cu BUSBAR 250A 		
				Cu SKINNER 250A 		
TYPE	DESCRIPTION	SIZE (H×W×L)	CROSS SECTIONAL AREA (Sqr mm)	LENGTH	WEIGHT (kg)	ORDER No.
BSB	Cu BUSBAR 250A	5×15×4000	75	4000	2.89	20330

		MAX. 70°	BUSBAR CLAMP ■ (FOR 5×15 Cu)	
		x10 Nos	KLEMME ■ (FOR Cu SKINNE)	
TYPE	DESCRIPTION		WEIGHT (kg)	ORDER No.
BBCL15	BUSBAR CLAMP		0.048	20195

9Nm 		TERMINAL SCREWS  TERMINAL SKRUER  x100 Nos.		
TYPE	DESCRIPTION	SIZE	WEIGHT (kg)	ORDER No.
SCR	TERMINAL SCREWS	M6	0.51	20360

		Polycarbonate 3mm		COVERS FORM 2 	
				AFDÆKNING FORM 2 	
		x10 Nos.			
TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT kg	ORDER No.	
COF 2	COVERS FORM 2	150 × 100	0.36	20390	





Ø6


x100 Nos.


CABLES


KABEL


TYPE	DESCRIPTION	LENGTH	ORDER No.
CABL 1	CABLE 2.5 mm ²	350	65686
CABL 2	CABLE 4 mm ²	350	65687
CABL 3	CABLE 6 mm ²	350	65688
CABL 4	CABLE 10 mm ²	350	65689
CABL 5	CABLE 16 mm ²	350	65690






		BUSBAR ANGLE 5 ■ (FOR CT INSERT)		
		SKINNEVINKEL 5 ■ (TIL STRØMMÅLER INDSATS)		
TYPE	DESCRIPTION	SIZE	WEIGHT (kg)	ORDER No.
BAN 5	BUSBAR ANGLE 5	40×50×5	0.1	21456


		BUSBAR ANGLE 10 ■ (FOR CT INSERT)		
		SKINNEVINKEL 10 ■ (TIL STRØMMÅLER INDSATS)		
TYPE	DESCRIPTION	SIZE	WEIGHT (kg)	ORDER No.
BAN 10	BUSBAR ANGLE 10	45×55×10	0.205	21458

		BUSBAR BOLT ■			
		SKINNE BOLT ■			
TYPE	DESCRIPTION	SIZE	RATED CURRENT (A)	WEIGHT (kg)	ORDER No.
BBT 8	BUSBAR BOLT	M8	400	6.5	21452
BBT 10	BUSBAR BOLT	M10	400	6.6	21454


		FORM 2 PC COVER ■			
		FORM 2 AFDÆKNING ■			
TYPE	DESCRIPTION			WEIGHT (kg)	ORDER No.
F2PC	FORM 2 PC COVER			1.7	20393



			UNIVERSAL BUSBAR HOLDER ■ (FOR Cu BUSBAR) UNIVERSAL SKINNEHOLDER ■ (TIL Cu SKINNE)				
TYPE	DESCRIPTION	RAIL LENGTH	MAX. Cu SIZE	MAX. QTY. CONDUCTORS PER PHASE	PHASE CENTERS	WEIGHT (kg)	ORDER No.
UBH 1	UNIVERSAL BUSBAR HOLDER	90	10×40	2	75	0.59	20550

			UNIVERSAL BUSBAR HOLDER ■ (FOR AI BUSBAR)				
			UNIVERSAL SKINNEHOLDER ■ (TIL AI SKINNE)				
TYPE	DESCRIPTION	RAIL LENGTH	MAX. AI SIZE	MAX. QTY. CONDUCTORS PER PHASE	PHASE CENTERS	WEIGHT (kg)	ORDER No.
UBH 2	UNIVERSAL BUSBAR HOLDER	190	10×100	2	75	0.65	20560
UBH 3	UNIVERSAL BUSBAR HOLDER	390	10×100	2	75	0.90	20563

Note : For full technical specification, please refer to relevant design verification on www.elsteel.com
 IEC 61439-2 requirements regarding busbar clearances must be followed when installing any busbar system.




FORM 2 COVER


(FOR UBH)


FORM 2 AFDÆKNING

(TIL UBH)

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No.
F2CUB	FORM 2 COVER	350×400	0.57	20391

		TOP & BOTTOM FORM 2 COVER ■ (FOR UBH)			TOP & BUND FORM 2 AFDÆKNING ■ (TIL UBH)	
TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No.		
F2CTB	TOP & BOTTOM FORM 2 COVER		0.16	20392		






UNIVERSAL BUSBAR HOLDER ■
(FOR HORIZONTAL TO
VERTICAL CONNECTION)

UNIVERSAL SKINNEHOLDER ■
(TIL HORIZONTAL-VERTIKAL
FORBINDELSE)

TYPE	DESCRIPTION	RAIL LENGTH	MAX. Cu SIZE	MAX. QTY. CONDUCTORS PER PHASE	PHASE CENTRES	WEIGHT (kg)	ORDER No.
UBH1 HV	UNIVERSAL BUSBAR HOLDER	90	10×40	2	75	0.611	20890

Note : For full technical specification, please refer to relevant design verification on www.elsteel.com
IEC 61439-2 requirements regarding busbar clearances must be followed when installing any busbar system.




FORM 2 COVERS ■
(FOR HORIZONTAL TO
VERTICAL CONNECTION)


AFDÆKNING ■
(TIL HORIZONTAL-VERTIKAL
FORBINDELSE)

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No.
F2CHT	FORM 2 COVERS		0.75	20395

CF2CP4



CF2CP6




CROSS OVER FORM 2 COVER PLATE ■


FORM 2 AFDÆKNING ■


TYPE	DESCRIPTION	SIZE (W)	WEIGHT (kg)	ORDER No.
CF2CP4	CROSS OVER FORM 2 COVER PLATE	400	1.25	20396
CF2CP6	CROSS OVER FORM 2 COVER PLATE	600	1.88	20397

400 WIDE SECTION



600 WIDE SECTION





ADJUSTABLE MOUNTING PLATE ■

JUSTERBAR MONTAGEPLADE ■


TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No. Alu-zinc
AMDB 3.1-5	ADJUSTABLE MOUNTING PLATE	300×150	0.62	65430
AMDB 3.2	ADJUSTABLE MOUNTING PLATE	300×200	0.82	65431
AMDB 3.3	ADJUSTABLE MOUNTING PLATE	300×300	1.12	65432
AMDB 3.4-5	ADJUSTABLE MOUNTING PLATE	300×450	1.68	65434
AMDB 4.1-5	ADJUSTABLE MOUNTING PLATE	400×150	0.75	65400
AMDB 4.2	ADJUSTABLE MOUNTING PLATE	400×200	1.09	65401
AMDB 4.3	ADJUSTABLE MOUNTING PLATE	400×300	1.50	65405
AMDB 4.4-5	ADJUSTABLE MOUNTING PLATE	400×450	2.25	65410
AMDB 5.1-5	ADJUSTABLE MOUNTING PLATE	500×150	0.92	65436
AMDB 5.2	ADJUSTABLE MOUNTING PLATE	500×200	1.36	65437
AMDB 5.3	ADJUSTABLE MOUNTING PLATE	500×300	1.85	65438
AMDB 5.4-5	ADJUSTABLE MOUNTING PLATE	500×450	2.78	65440
AMDB 6.1-5	ADJUSTABLE MOUNTING PLATE	600×150	1.25	65415
AMDB 6.2	ADJUSTABLE MOUNTING PLATE	600×200	1.63	65416
AMDB 6.3	ADJUSTABLE MOUNTING PLATE	600×300	2.23	65420
AMDB 6.4-5	ADJUSTABLE MOUNTING PLATE	600×450	3.21	65425




FIXED TYPE MOUNTING PLATE ■

FAST MONTAGEPLADE ■

TYPE	DESCRIPTION	SIZE (W×H)	WEIGHT (kg)	ORDER No. Alu-zinc
FMDB 3.1-5	FIXED TYPE MOUNTING PLATE	300×150	0.40	65600
FMDB 3.2	FIXED TYPE MOUNTING PLATE	300×200	0.53	65601
FMDB 3.3	FIXED TYPE MOUNTING PLATE	300×300	0.81	65602
FMDB 3.4-5	FIXED TYPE MOUNTING PLATE	300×450	1.22	65604
FMDB 3.6	FIXED TYPE MOUNTING PLATE	300×600	1.63	65606
FMDB 4.1-5	FIXED TYPE MOUNTING PLATE	400×150	0.62	65608
FMDB 4.2	FIXED TYPE MOUNTING PLATE	400×200	0.82	65609
FMDB 4.3	FIXED TYPE MOUNTING PLATE	400×300	1.25	65610
FMDB 4.4-5	FIXED TYPE MOUNTING PLATE	400×450	1.71	65612
FMDB 4.6	FIXED TYPE MOUNTING PLATE	400×600	2.50	65614
FMDB 5.1-5	FIXED TYPE MOUNTING PLATE	500×150	0.78	65616
FMDB 5.2	FIXED TYPE MOUNTING PLATE	500×200	1.04	65617
FMDB 5.3	FIXED TYPE MOUNTING PLATE	500×300	1.56	65618
FMDB 5.4-5	FIXED TYPE MOUNTING PLATE	500×450	2.34	65620
FMDB 5.6	FIXED TYPE MOUNTING PLATE	500×600	3.12	65622
FMDB 6.1-5	FIXED TYPE MOUNTING PLATE	600×150	0.98	65624
FMDB 6.2	FIXED TYPE MOUNTING PLATE	600×200	1.30	65625
FMDB 6.3	FIXED TYPE MOUNTING PLATE	600×300	1.96	65626
FMDB 6.4-5	FIXED TYPE MOUNTING PLATE	600×450	2.94	65628
FMDB 6.6	FIXED TYPE MOUNTING PLATE	600×600	3.93	65630











INSERT VERTICAL ■
(ABB)

INDSATSE VERTIKAL ■
(ABB)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
VIA3-20 3.3	INSERT VERTICAL ABB	300 × 300	1	3	XT1 160	1.45	66025	64631
VIA4-21 3.3	INSERT VERTICAL ABB	300 × 300	1	4	XT1 160	1.45	66150	64828
VIA3-22 4.3	INSERT VERTICAL ABB	400 × 300	2	3	XT1 160	2.01	66026	64632
VIA4-23 4.3	INSERT VERTICAL ABB	400 × 300	2	4	XT1 160	2.01	66151	64829
VIA3-24 5.3	INSERT VERTICAL ABB	500 × 300	3	3	XT1 160	2.58	66027	64633
VIA4-25 5.3	INSERT VERTICAL ABB	500 × 300	2	4	XT1 160	2.58	66152	64830
VIA3-26 6.3	INSERT VERTICAL ABB	600 × 300	4	3	XT1 160	3.18	66028	64634
VIA4-27 6.3	INSERT VERTICAL ABB	600 × 300	4	4	XT1 160	3.14	66153	64831
VIA34-36 3.3	INSERT VERTICAL ABB	300 × 300	1	3/4	XT2 160	1.53	66275	66264
VIA34-37 4.3	INSERT VERTICAL ABB	400 × 300	2	3/4	XT2 160	2.11	66276	66265
VIA34-38 5.3	INSERT VERTICAL ABB	500 × 300	3	3/4	XT2 160	2.69	66277	66266
VIA3-39 6.3	INSERT VERTICAL ABB	600 × 300	4	3	XT2 160	3.28	66278	66267
VIA4-40 6.3	INSERT VERTICAL ABB	600 × 300	3	4	XT2 160	3.28	66279	66268
VIA3-28 4.3	INSERT VERTICAL ABB	400 × 300	1	3	XT3 250	2.01	66029	64635
VIA4-29 4.3	INSERT VERTICAL ABB	400 × 300	1	4	XT3 250	2.01	66154	64832
VIA3-30 5.3	INSERT VERTICAL ABB	500 × 300	2	3	XT3 250	2.58	66023	64629
VIA4-31 5.3	INSERT VERTICAL ABB	500 × 300	2	4	XT3 250	2.58	66155	64833
VIA3-32 6.3	INSERT VERTICAL ABB	600 × 300	2	3	XT3 250	3.14	65999	64628
VIA4-33 6.3	INSERT VERTICAL ABB	600 × 300	2	4	XT3 250	3.14	66157	64835
VIA3-34 3.4-5	INSERT VERTICAL ABB	300 × 450	1	3	XT3 250	2.25	66024	64630
VIA4-35 3.4-5	INSERT VERTICAL ABB	300 × 450	1	4	XT3 250	2.25	66156	64834
VIA3-41 4.3	INSERT VERTICAL ABB	400 × 300	2	3	XT4 250	2.11	66280	66269
VIA4-42 4.3	INSERT VERTICAL ABB	400 × 300	1	4	XT4 250	2.11	66281	66270
VIA3-43 5.3	INSERT VERTICAL ABB	500 × 300	3	3	XT4 250	2.69	66282	66271
VIA4-44 5.3	INSERT VERTICAL ABB	500 × 300	2	4	XT4 250	2.69	66283	66272
VIA34-45 6.3	INSERT VERTICAL ABB	600 × 300	3	3/4	XT4 250	3.28	66284	66273
VIA34-46 3.4-5	INSERT VERTICAL ABB	300 × 450	1	3/4	XT4 250	2.37	66285	66274
VIA3-47 3.3	INSERT VERTICAL ABB	300 × 300	1	3	XT5 400/630	1.66	66286	66296
VIA34-48 4.3	INSERT VERTICAL ABB	400 × 300	1	3/4	XT5 400/630	2.19	66287	66297
VIA34-49 5.3	INSERT VERTICAL ABB	500 × 300	1	3/4	XT5 400/630	2.72	66288	66298
VIA34-50 6.3	INSERT VERTICAL ABB	600 × 300	1	3/4	XT5 400/630	3.25	66289	66299
VIA3-51 4.4	INSERT VERTICAL ABB	400 × 400	1	3	XT6 1600	2.93	66290	66070
VIA34-52 5.4	INSERT VERTICAL ABB	500 × 400	1	3/4	XT6 1600	3.66	66291	66071
VIA34-53 6.4	INSERT VERTICAL ABB	600 × 400	1	3/4	XT6 1600	4.38	66292	66072
VIA3-94 4.4	INSERT VERTICAL ABB	400 × 400	1	3	XT7 1600	3.56	66720	66723
VIA34-95 5.4	INSERT VERTICAL ABB	500 × 400	1	3/4	XT7 1600	4.29	66721	66724
VIA34-96 6.4	INSERT VERTICAL ABB	600 × 400	1	3/4	XT7 1600	5.02	66722	66725

* Rear connection only











INSERT VERTICAL ■
(EATON)

INDSATSE VERTIKAL ■
(EATON)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
VIE3-1 3.3	INSERT VERTICAL EATON	300×300	1	3	NZM1 160	1.51	66100	64713
VIE4-2 3.3	INSERT VERTICAL EATON	300×300	1	4	NZM1 160	1.52	66115	64726
VIE3-3 4.3	INSERT VERTICAL EATON	400×300	2	3	NZM1 160	2.11	66101	64714
VIE4-4 4.3	INSERT VERTICAL EATON	400×300	2	4	NZM1 160	2.11	66116	64727
VIE3-5 5.3	INSERT VERTICAL EATON	500×300	3	3	NZM1 160	2.70	66110	64723
VIE4-6 5.3	INSERT VERTICAL EATON	500×300	2	4	NZM1 160	2.70	66126	64731
VIE3-7 6.3	INSERT VERTICAL EATON	600×300	4	3	NZM1 160	3.29	66102	64715
VIE4-8 6.3	INSERT VERTICAL EATON	600×300	3	4	NZM1 160	3.29	66117	64728
VIE34-9 4.3	INSERT VERTICAL EATON	400×300	1	3/4	NZM2 250	2.37	66103	64716
VIE34-10 5.3	INSERT VERTICAL EATON	500×300	2	3/4	NZM2 250	2.98	66111	64724
VIE34-11 6.3	INSERT VERTICAL EATON	600×300	2	3/4	NZM2 250	3.59	66105	64718
VIE3-12 3.4-5	INSERT VERTICAL EATON	300×450	1	3	NZM2 250	2.74	66104	64717
VIE4-13 3.4-5	INSERT VERTICAL EATON	300×450	1	4	NZM2 250	2.74	66119	64729
VIE3-14 5.4-5	INSERT VERTICAL EATON	500×450	2	3	NZM3 630	4.81	66112	64725
VIE4-15 5.4-5	INSERT VERTICAL EATON	500×450	2	4	NZM3 630	4.81	66127	64732
VIE3-16 6.4-5	INSERT VERTICAL EATON	600×450	2	3	NZM3 630	5.76	66108	64721
VIE4-17 6.4-5	INSERT VERTICAL EATON	600×450	2	4	NZM3 630	5.76	66123	64730
VIE34-18 6.4-5	INSERT VERTICAL EATON	600×450	1	3/4	NZM3 630	5.76	66106	64719
VIE3-19 3.6	INSERT VERTICAL EATON	300×600	1	3	NZM3 630	3.82	66107	64720
VIE34-20 4.6	INSERT VERTICAL EATON	400×600	1	3/4	NZM3 630	5.23	66109	64722
VIE3-21 4.6	INSERT VERTICAL EATON	400×600	1	3	NZM4 1600	5.23	66097	64802
VIE3-22 5.6	INSERT VERTICAL EATON	500×600	1	3	NZM4 1600	6.41	66098	64803
VIE4-23 5.6	INSERT VERTICAL EATON	500×600	1	4	NZM4 1600	6.41	66113	64805
VIE3-24 6.6	INSERT VERTICAL EATON	600×600	1	3	NZM4 1600	7.59	66099	64804

* Rear connection only











INSERT VERTICAL ■
(GENERAL ELECTRIC)

INDSATSE VERTIKAL ■
(GENERAL ELECTRIC)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
VIG3-1 3.3	INSERT VERTICAL GE	300×300	1	3	FD 160	1.54	65901	64651
VIG4-2 3.3	INSERT VERTICAL GE	300×300	1	4	FD 160	1.54	65946	64690
VIG3-3 4.3	INSERT VERTICAL GE	400×300	2	3	FD 160	1.93	65900	64650
VIG4-4 4.3	INSERT VERTICAL GE	400×300	2	4	FD 160	1.93	65945	64689
VIG3-5 5.3	INSERT VERTICAL GE	500×300	3	3	FD 160	2.46	65910	64660
VIG4-6 5.3	INSERT VERTICAL GE	500×300	2	4	FD 160	2.46	65955	64698
VIG3-7 6.3	INSERT VERTICAL GE	600×300	4	3	FD 160	2.99	65902	64652
VIG4-8 6.3	INSERT VERTICAL GE	600×300	4	4	FD 160	2.99	65947	64691
VIG3-9 3.4-5	INSERT VERTICAL GE	300×450	1	3	FE 160/250	2.49	65904	64654
VIG4-10 3.4-5	INSERT VERTICAL GE	300×450	1	4	FE 160/250	2.49	65949	64693
VIG3-11 4.3	INSERT VERTICAL GE	400×300	1	3	FE 160/250	2.19	65903	64653
VIG4-12 4.3	INSERT VERTICAL GE	400×300	1	4	FE 160/250	2.19	65948	64692
VIG3-13 5.3	INSERT VERTICAL GE	500×300	2	3	FE 160/250	2.53	65911	64661
VIG4-14 5.3	INSERT VERTICAL GE	500×300	2	4	FE 160/250	2.53	65957	64700
VIG3-15 6.3	INSERT VERTICAL GE	600×300	2	3	FE 160/250	3.06	65905	64655
VIG4-16 6.3	INSERT VERTICAL GE	600×300	2	4	FE 160/250	3.06	65950	64694
VIG3-17 3.6	INSERT VERTICAL GE	300×600	1	3	FG 400/630	3.88	65907	64657
VIG3-18 4.6	INSERT VERTICAL GE	400×600	1	3	FG 400/630	5.16	65909	64659
VIG4-19 4.6	INSERT VERTICAL GE	400×600	1	4	FG 400/630	4.70	65954	64697
VIG3-20 5.4-5	INSERT VERTICAL GE	500×450	2	3	FG 400/630	4.14	65912	64662
VIG4-21 5.4-5	INSERT VERTICAL GE	500×450	2	4	FG 400/630	4.14	65956	64699
VIG3-22 6.4-5	INSERT VERTICAL GE	600×450	1	3	FG 400/630	5.69	65906	64656
VIG3-23 6.4-5	INSERT VERTICAL GE	600×450	2	3	FG 400/630	4.96	65908	64658
VIG4-24 6.4-5	INSERT VERTICAL GE	600×450	1	4	FG 400/630	5.39	65951	64695
VIG4-25 6.4-5	INSERT VERTICAL GE	600×450	2	4	FG 400/630	4.96	65953	64696











INSERT VERTICAL ■
(SCHNEIDER ELECTRIC)

INDSATSE VERTIKAL ■
(SCHNEIDER ELECTRIC)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
VIS3-1 3.2	INSERT VERTICAL SE	300×200	1	3	NSX* 100/160/250	1.16	65928	64636
VIS4-2 3.2	INSERT VERTICAL SE	300×200	1	4	NSX* 100/160/250	1.16	65991	64620
VIS3-3 4.2	INSERT VERTICAL SE	400×200	2	3	NSX* 100/160/250	1.59	65929	64637
VIS4-4 4.2	INSERT VERTICAL SE	400×200	1	4	NSX* 100/160/250	1.59	65992	64621
VIS3-5 5.2	INSERT VERTICAL SE	500×200	3	3	NSX* 100/160/250	2.20	65943	64638
VIS4-6 5.2	INSERT VERTICAL SE	500×200	2	4	NSX* 100/160/250	2.20	65993	64622
VIS3-7 6.2	INSERT VERTICAL SE	600×200	4	3	NSX* 100/160/250	2.45	65944	64639
VIS4-8 6.2	INSERT VERTICAL SE	600×200	3	4	NSX* 100/160/250	2.45	65994	64623
VIS3-9 3.3	INSERT VERTICAL SE	300×300	1	3	NSX 100/160/250	1.59	65931	64677
VIS4-10 3.3	INSERT VERTICAL SE	300×300	1	4	NSX 100/160/250	1.58	65976	64708
VIS3-11 4.3	INSERT VERTICAL SE	400×300	2	3	NSX 100/160/250	2.16	65930	64676
VIS4-12 4.3	INSERT VERTICAL SE	400×300	1	4	NSX 100/160/250	2.16	65975	64707
VIS34-13 4.3	INSERT VERTICAL SE	400×300	1	3	NSX 100/160/250	2.16	65933	64679
VIS3-14 5.3	INSERT VERTICAL SE	500×300	3	3	NSX 100/160/250	2.74	65940	64686
VIS34-15 5.3	INSERT VERTICAL SE	500×300	2	3/4	NSX 100/160/250	2.74	65941	64687
VIS3-16 6.3	INSERT VERTICAL SE	600×300	4	3	NSX 100/160/250	3.33	65932	64678
VIS4-17 6.3	INSERT VERTICAL SE	600×300	3	4	NSX 100/160/250	3.34	65977	64709
VIS34-18 6.3	INSERT VERTICAL SE	600×300	2	3/4	NSX 100/160/250	3.33	65935	64681
VIS3-19 3.4-5	INSERT VERTICAL SE	300×450	1	3	NSX 100/160/250	2.45	65934	64680
VIS4-20 3.4-5	INSERT VERTICAL SE	300×450	1	4	NSX 100/160/250	5.09	65979	64710
VIS3-21 3.4	INSERT VERTICAL SE	300×400	1	3	NSX 400/630	2.53	65995	64797
VIS3-22 4.4	INSERT VERTICAL SE	400×400	1	3	NSX 400/630	3.39	65996	64798
VIS4-23 4.4	INSERT VERTICAL SE	400×400	1	4	NSX 400/630	2.74	65972	64642
VIS3-24 5.4	INSERT VERTICAL SE	500×400	2	3	NSX 400/630	4.24	65997	64799
VIS4-25 5.4	INSERT VERTICAL SE	500×400	2	4	NSX 400/630	3.39	65973	64643
VIS3-26 6.4	INSERT VERTICAL SE	600×400	3	3	NSX 400/630	5.09	65998	64800
VIS4-27 6.4	INSERT VERTICAL SE	600×400	2	4	NSX 400/630	4.24	65974	64644
VIS3-28 5.4-5	INSERT VERTICAL SE	500×450	2	3	NSX 400/630	4.46	65942	64688
VIS4-29 5.4-5	INSERT VERTICAL SE	500×450	2	4	NSX 400/630	3.33	65986	64712
VIS3-30 6.4-5	INSERT VERTICAL SE	600×450	2	3	NSX 400/630	5.36	65938	64684
VIS4-31 6.4-5	INSERT VERTICAL SE	600×450	2	4	NSX 400/630	5.36	65983	64711
VIS34-32 6.4-5	INSERT VERTICAL SE	600×450	1	3/4	NSX 400/630	5.36	65936	64682
VIS3-33 3.6	INSERT VERTICAL SE	300×600	1	3	NSX 400/630	3.61	65937	64683
VIS34-34 4.6	INSERT VERTICAL SE	400×600	1	3/4	NSX 400/630	4.83	65939	64685
VIS3-35 4.4	INSERT VERTICAL SE	400×400	1	3	NS 630b 1600	3.73	65987	64616
VIS3-36 5.4	INSERT VERTICAL SE	500×400	1	3	NS 630b 1600	4.58	65988	64617
VIS4-37 5.4	INSERT VERTICAL SE	500×400	1	4	NS 630b 1600	4.83	65958	64640
VIS3-38 6.4	INSERT VERTICAL SE	600×400	2	3	NS 630b 1600	5.44	65989	64618
VIS4-39 6.4	INSERT VERTICAL SE	600×400	1	4	NS 630b 1600	4.58	65959	64641







INSERT HORIZONTAL ■
(ABB)

INDSATSE HORIZONTAL ■
(ABB)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
HIA3-19 4.3	INSERT HORIZONTAL ABB	400 × 300	1	3	XT1 160	2.82	66240	64836
HIA4-20 4.3	INSERT HORIZONTAL ABB	400 × 300	1	4	XT1 160	2.82	66246	64842
HIA3-21 5.3	INSERT HORIZONTAL ABB	500 × 300	1	3	XT1 160	3.43	66242	64838
HIA4-22 5.3	INSERT HORIZONTAL ABB	500 × 300	1	4	XT1 160	3.43	66248	64844
HIA3-23 6.3	INSERT HORIZONTAL ABB	600 × 300	1	3	XT1 160	4.04	66244	64840
HIA4-24 6.3	INSERT HORIZONTAL ABB	600 × 300	1	4	XT1 160	4.04	66250	64846
HIA34-31 4.3	INSERT HORIZONTAL ABB	400 × 300	1	3/4	XT2 160	2.82	66258	66252
HIA34-32 5.3	INSERT HORIZONTAL ABB	500 × 300	1	3/4	XT2 160	3.43	66259	66253
HIA34-33 6.3	INSERT HORIZONTAL ABB	600 × 300	1	3/4	XT2 160	4.04	66260	66254
HIA3-25 4.3	INSERT HORIZONTAL ABB	400 × 300	1	3	XT3 250	2.82	66241	64837
HIA4-26 4.3	INSERT HORIZONTAL ABB	400 × 300	1	4	XT3 250	2.82	66247	64843
HIA3-27 5.3	INSERT HORIZONTAL ABB	500 × 300	1	3	XT3 250	3.43	66243	64839
HIA4-28 5.3	INSERT HORIZONTAL ABB	500 × 300	1	4	XT3 250	3.43	66249	64845
HIA3-29 6.3	INSERT HORIZONTAL ABB	600 × 300	1	3	XT3 250	4.04	66245	64841
HIA4-30 6.3	INSERT HORIZONTAL ABB	600 × 300	1	4	XT3 250	4.04	66251	64847
HIA34-34 4.3	INSERT HORIZONTAL ABB	400 × 300	1	3/4	XT4 250	2.82	66261	66255
HIA34-35 5.3	INSERT HORIZONTAL ABB	500 × 300	1	3/4	XT4 250	3.43	66262	66256
HIA34-36 6.3	INSERT HORIZONTAL ABB	600 × 300	1	3/4	XT4 250	4.04	66263	66257
HIA34-37 5.3	INSERT HORIZONTAL ABB	500 × 300	1	3/4	XT5 400/630	3.76	66050	66060
HIA34-38 6.3	INSERT HORIZONTAL ABB	600 × 300	1	3/4	XT5 400/630	4.35	66051	66061
HIA3-39 5.3	INSERT HORIZONTAL ABB	500 × 300	1	3	XT6 1600	3.73	66052	66062
HIA34-40 5.4	INSERT HORIZONTAL ABB	500 × 400	1	3/4	XT6 1600	4.90	66053	66063
HIA3-41 6.3	INSERT HORIZONTAL ABB	600 × 300	1	3	XT6 1600	4.32	66054	66064
HIA34-42 6.4	INSERT HORIZONTAL ABB	600 × 400	1	3/4	XT6 1600	5.68	66055	66065
HIA3-75 5.3	INSERT HORIZONTAL ABB	500 × 300	1	3	XT7 1600	4.06	66726	66730
HIA34-76 5.4	INSERT HORIZONTAL ABB	500 × 400	1	3/4	XT7 1600	5.32	66727	66731
HIA3-77 6.3	INSERT HORIZONTAL ABB	600 × 300	1	3	XT7 1600	4.65	66728	66732
HIA34-78 6.4	INSERT HORIZONTAL ABB	600 × 400	1	3/4	XT7 1600	6.11	66729	66733

* Rear connection only







INSERT HORIZONTAL ■
(EATON)

INDSATSE HORIZONTAL ■
(EATON)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
HIE3-1 4.3	INSERT HORIZONTAL EATON	400×300	1	3	NZM1 160	2.78	66190	64755
HIE4-2 4.3	INSERT HORIZONTAL EATON	400×300	1	4	NZM1 160	2.78	66230	64785
HIE3-3 5.3	INSERT HORIZONTAL EATON	500×300	1	3	NZM1 160	3.39	66192	64757
HIE4-4 5.3	INSERT HORIZONTAL EATON	500×300	1	4	NZM1 160	3.39	66232	64787
HIE3-5 6.3	INSERT HORIZONTAL EATON	600×300	1	3	NZM1 160	4.00	66195	64760
HIE4-6 6.3	INSERT HORIZONTAL EATON	600×300	1	4	NZM1 160	4.00	66235	64790
HIE3-7 4.3	INSERT HORIZONTAL EATON	400×300	1	3	NZM2 250	3.05	66191	64756
HIE4-8 4.3	INSERT HORIZONTAL EATON	400×300	1	4	NZM2 250	3.05	66231	64786
HIE3-9 5.3	INSERT HORIZONTAL EATON	500×300	1	3	NZM2 250	3.61	66193	64758
HIE4-10 5.3	INSERT HORIZONTAL EATON	500×300	1	4	NZM2 250	3.61	66233	64788
HIE3-11 6.3	INSERT HORIZONTAL EATON	600×300	1	3	NZM2 250	4.22	66196	64761
HIE4-12 6.3	INSERT HORIZONTAL EATON	600×300	1	4	NZM2 250	4.22	66236	64791
HIE3-13 5.3	INSERT HORIZONTAL EATON	500×300	1	3	NZM3 630	3.84	66194	64759
HIE3-14 6.3	INSERT HORIZONTAL EATON	600×300	1	3	NZM3 630	4.43	66197	64762
HIE4-15 5.4-5	INSERT HORIZONTAL EATON	500×450	1	4	NZM3 630	5.9	66234	64789
HIE4-16 6.4-5	INSERT HORIZONTAL EATON	600×450	1	4	NZM3 630	6.82	66237	64792

* Rear connection only







INSERT HORIZONTAL ■
(GENERAL ELECTRIC)

INDSATSE HORIZONTAL ■
(GENERAL ELECTRIC)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
HIG3-1 4.3	INSERT HORIZONTAL GE	400×300	1	3	FD 160	2.83	66160	64733
HIG4-1 4.3	INSERT HORIZONTAL GE	400×300	1	4	FD 160	2.83	66200	64763
HIG3-3 5.3	INSERT HORIZONTAL GE	500×300	1	3	FD 160	3.44	66162	64735
HIG4-3 5.3	INSERT HORIZONTAL GE	500×300	1	4	FD 160	3.44	66202	64765
HIG3-6 6.3	INSERT HORIZONTAL GE	600×300	1	3	FD 160	4.05	66165	64738
HIG4-6 6.3	INSERT HORIZONTAL GE	600×300	1	4	FD 160	4.05	66205	64768
HIG3-2 4.3	INSERT HORIZONTAL GE	400×300	1	3	FE 160/250	2.91	66161	64734
HIG4-2 4.3	INSERT HORIZONTAL GE	400×300	1	4	FE 160/250	2.65	66201	64764
HIG3-4 5.3	INSERT HORIZONTAL GE	500×300	1	3	FE 160/250	3.52	66163	64736
HIG4-4 5.3	INSERT HORIZONTAL GE	500×300	1	4	FE 100/250	3.07	66203	64766
HIG3-7 6.3	INSERT HORIZONTAL GE	600×300	1	3	FE 160/250	4.13	66166	64739
HIG4-7 6.3	INSERT HORIZONTAL GE	600×300	1	4	FE 160/250	3.71	66206	64769
HIG3-5 5.3	INSERT HORIZONTAL GE	500×300	1	3	FG 400/630	3.32	66164	64737
HIG3-8 6.3	INSERT HORIZONTAL GE	600×300	1	3	FG 400/630	3.85	66167	64740
HIG4-5 5.4-5	INSERT HORIZONTAL GE	500×450	1	4	FG 400/630	5.10	66204	64767
HIG4-8 6.4-5	INSERT HORIZONTAL GE	600×450	1	4	FG 400/630	5.93	66207	64770






INSERT HORIZONTAL ■
(SCHNEIDER ELECTRIC)

INDSATSE HORIZONTAL ■
(SCHNEIDER ELECTRIC)

TYPE	DESCRIPTION	SIZE (W×H)	No. OF BREAKERS	No. OF POLES	BREAKER TYPE	WEIGHT (kg)	ORDER No. RAL 9010 SMF	ORDER No. RAL 7035 FTF
HIS3-1 4.3	INSERT HORIZONTAL SE	400×300	1	3	NSX 100/160/250	2.98	66180	64750
HIS4-1 4.3	INSERT HORIZONTAL SE	400×300	1	4	NSX 100/160/250	2.98	66220	64780
HIS3-2 5.3	INSERT HORIZONTAL SE	500×300	1	3	NSX 100/160/250	3.6	66181	64751
HIS4-2 5.3	INSERT HORIZONTAL SE	500×300	1	4	NSX 100/160/250	3.6	66221	64781
HIS3-4 6.3	INSERT HORIZONTAL SE	600×300	1	3	NSX 100/160/250	4.21	66183	64753
HIS4-4 6.3	INSERT HORIZONTAL SE	600×300	1	4	NSX 100/160/250	4.21	66223	64783
HIS3-3 5.3	INSERT HORIZONTAL SE	500×300	1	3	NSX 400/630	3.64	66182	64752
HIS3-5 6.3	INSERT HORIZONTAL SE	600×300	1	3	NSX 400/630	4.25	66184	64754
HIS4-3 5.4-5	INSERT HORIZONTAL SE	500×450	1	4	NSX 400/630	5.58	66222	64782
HIS4-5 6.4-5	INSERT HORIZONTAL SE	600×450	1	4	NSX 400/630	6.53	66224	64784



EUROPE

Cebco - Czech Republic

Tel: +420 604 645 648

Mail: info@cebco.cz

Mail: cebco@seznam.cz

Culic Elektro Centar - Croatia

Tel: +38 5 2120 4333

Mail: veleprodaja@culic.net

EFA Elektro - Norway

Tel: +47 6681 2400

Mail: post@efa.no

Elektra-Bree-Bordenbouw - Belgium

Tel: +32 8941 0041

Mail: kg@ebbnv.be

ELSTEEL IRL - Republic of Ireland

Tel: +353 1 456 8566

Mail: debbie@elsteel.ie

ELSTEEL NI - Northern Ireland

Tel: +44 289 077 4041

Mail: ghavlin@parkelect.co.uk

ELSTEEL - Poland

Tel: +48 77 465 4666

Mail: poland@elsteel.com

ELSTEEL UK - United Kingdom

Tel: +44 197 885 5909

Mail: sales@elsteel.co.uk

Montakon - Netherlands

Tel: +31 73 599 6000

Mail: info@montakon.nl

N. N. Control Panels - Cyprus

Tel: +357 25 71 4816

Mail: info@nncontrolpanels.com

Rafmidlun - Iceland

Tel: +354 540 3500

Mail: kolbeinn@rafmidlun.is

EUROPE Contd.

RS Components - England

Tel: +44 1536 20 1234

Web: www.rswwww.com

UAB Electric Box - Lithuania

Tel: +370 68 697 304

Mail: saulius@electricbox.lt

CANADA

Westshore Controls - Canada

Tel: +1 604 817 0987

Mail: westshorecontrols@gmail.com

AUSTRALIA

IPD - Australia & New Zealand

Tel: +61 2 9645 0777

Mail: brian.rodricks@ipdgroup.com.au

MIDDLE EAST

Base Control Tech - UAE

Tel: +971 6 557 9958

Mail: vijayababu@basecontroltech.com

Jaidah Electrical - Qatar

Tel: ++974 4463 8777

Mail: sadek@jaidah.com.qa

National Electrical Industries - Oman

Tel: +968 2 445 4951

Mail: tusharchavan@neioman.com

PAC International - Qatar

Tel: +974 4450 6084

Mail: mazen.harb@harbelectric.com

Pacific Ocean - Sharjah

Tel: +971 653 45334

Mail: henry@pacificocean.ae

Power & Control - Dubai

Tel: +971 4 883 0391

Mail: khalil@pnc-ae.com

Schneider Electrical - Israel

Tel: +972 4 609 4433

Mail: sagi@sche.co.il

ASIA

ELSTEEL - Sri Lanka

Tel: +94 11 225 2485

Mail: elsteel@elsteel.com

ELSTEEL - India

Tel: +91 832 661 1111

Mail: india@elsteel.com

ELSTEEL Techno - Singapore & Malaysia

Tel: +65 645 546 98

Mail: elsteel@singnet.com.sg

Fudo Automation - Hyderabad, India

Tel: +91 40 2004 0814

Mail: fudo@rediffmail.com

Prakticheskaya Electrotekhnica - Kazakhstan

Tel: +7 727 3783 294

Mail: pealmaty@mail.ru

Venora Lanka Power Panels - Sri Lanka

Tel: +94 11 248 9580

Mail: venoralanka@venoragroup.com

AFRICA

ATI Systems - South Africa

Tel: +27 11 383 8300

Mail: sales@atisystems.co.za

M & E Commercial Engineers - Mauritius

Tel: +230 677 9838

Mail: mec.eng@intnet.mu

Specialised Power Systems - Kenya

Tel: +254 20 207 7219

Mail: info@spsafrica.com

CIS

JSC Electronmash - Russia

Tel: +781 2 702 1262, Int 8000

Mail: sales@ru.elsteel.com



ELSTEEL Denmark Møllevej 9 C · 2990 Nivå
Tel +45 49 22 33 44
elsteel@elsteel.dk · www.elsteel.com

